

Revision date: 2014/10/02 Page: 1/12 Version: 2.0 (30278705/SDS CPA US/EN)

1. Identification

Product identifier used on the label

TERMIDOR® 80 WG TERMITICIDE/INSECTICIDE

Recommended use of the chemical and restriction on use

Recommended use*: insecticide

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 583751 EPA Register number: 7969-209 Synonyms: fipronil

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Acute Tox. 3 (Inhalation - dust) Acute toxicity
Acute Tox. 3 (oral) Acute toxicity
Acute Tox. 3 (dermal) Acute toxicity

STOT RE 1 Specific target organ toxicity — repeated

exposure

Label elements

^{*} The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Safety Data Sheet

TERMIDOR® 80 WG TERMITICIDE/INSECTICIDE

Revision date: 2014/10/02 Page: 2/12 Version: 2.0 (30278705/SDS_CPA_US/EN)

Pictogram:



Signal Word: Danger

Hazard Statement:

H311 Toxic in contact with skin.

H331 Toxic if inhaled. H301 Toxic if swallowed.

H372 Causes damage to organs (Central nervous system) through prolonged

or repeated exposure.

Precautionary Statements (Prevention):

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/clothing.
P260 Do not breathe dust/gas/mist/vapours.

P270 Do not eat, drink or smoke when using this product.

P264 Wash with plenty of water and soap thoroughly after handling.

Precautionary Statements (Response):

P310 Immediately call a POISON CENTER or doctor/physician.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water. P361 Remove/Take off immediately all contaminated clothing.

P301 + P330 IF SWALLOWED: rinse mouth.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

Hazards not otherwise classified

Labeling of special preparations (GHS):

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 17 % dermal

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 1 % oral

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 17 % Inhalation - dust

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

WARNING:

KEEP OUT OF REACH OF CHILDREN.

May be fatal if inhaled, swallowed or absorbed through skin.

Moderately irritating to the eyes.

Revision date: 2014/10/02 Page: 3/12 Version: 2.0 (30278705/SDS_CPA_US/EN)

Do not get in eyes, on skin, or on clothing.

Do not breathe vapours/mists. Wash thoroughly after handling.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number Content (W/W) Chemical name

577-11-7 1.0 - 3.0 % sodium-di-ethyl-hexyl-sulfosuccinate

120068-37-3 80.0 % Fipronil

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS NumberContent (W/W)Chemical name120068-37-380.0 %Fipronil20.0 %Proprietary ingredients

4. First-Aid Measures

Description of first aid measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

Most important symptoms and effects, both acute and delayed

Symptoms: CNS stimulation, tremors, convulsions

Indication of any immediate medical attention and special treatment needed

Note to physician

Antidote: No known specific antidote.

Treat symptomatically. Anticonvulsant therapy as routinely administered

to humans. Based on animal studies diazepam and phenobarbital prevented convulsions. Due to the slow elimination of the active

Revision date: 2014/10/02 Page: 4/12 Version: 2.0 (30278705/SDS CPA US/EN)

> compound and its metabolites, the treatment must be continued for several days, gradually decreasing the dose of anticonvulsant based on the clinical response.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: foam, dry powder, carbon dioxide, water spray

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, hydrogen fluoride, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons, nitrogen oxides, sulfur oxides, acid halides, halogenated compounds

The substances/groups of substances mentioned can be released if the product is involved in a fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the

Revision date: 2014/10/02 Page: 5/12 Version: 2.0 (30278705/SDS_CPA_US/EN)

effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eve protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

Revision date: 2014/10/02 Page: 6/12 Version: 2.0 (30278705/SDS_CPA_US/EN)

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: granules Odour: odourless

Odour threshold:

Colour: off-white to beige

pH value: approx. 8 - 10 Melting point: approx. 195.5 -

203 °C

Boiling point:

Flash point: > 110 °C

Flammability: not highly

flammable

Lower explosion limit:

Measurement made up to the indicated temperature, pilot light extinguishes. (Directive 84/449/EEC, A.10)

Not determined since toxic by inhalation.

The data given are those of the active

The product is a non-volatile solid.

(approx. 10 g/l, approx. 22 °C)

(ASTM D93) No flash point -

As a result of our experience with this product and our knowledge of its

composition we do not expect any hazard

as long as the product is used

appropriately and in accordance with the

intended use.

ingredient.

Upper explosion limit: As a result of our experience with this

product and our knowledge of its

composition we do not expect any hazard

as long as the product is used

appropriately and in accordance with the

The product has not been tested.

intended use.

Vapour pressure:

Bulk density: approx. 0.73 g/ml Vapour density:

Partitioning coefficient noctanol/water (log Pow):

Self-ignition

temperature:

Solubility in water:

Evaporation rate:

Thermal decomposition:

not applicable

not applicable

not self-igniting

No decomposition if stored and handled as

prescribed/indicated.

Viscosity, dynamic: not applicable, the product is a solid

dispersible not applicable

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

Revision date: 2014/10/02 Page: 7/12 Version: 2.0 (30278705/SDS_CPA_US/EN)

Oxidizing properties:

not fire-propagating (Directive 92/69/EEC, A.17)

Dust explosivity characteristics:

Kst:

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

Incompatible materials

strong oxidizing agents

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Moderately toxic after single ingestion. Moderately toxic after short-term skin contact. Slightly toxic after short-term inhalation.

Oral

Type of value: LD50 Species: rat (male)

Value: 149 mg/kg (Guideline 92/69/EEC, B.1)

Inhalation

Type of value: LC50 Species: rat (male/female)

Value: 0.63 mg/l

Safety Data Sheet

TERMIDOR® 80 WG TERMITICIDE/INSECTICIDE

Revision date: 2014/10/02 Page: 8/12 Version: 2.0 (30278705/SDS CPA US/EN)

Exposure time: 4 h

Dermal

Type of value: LD50 Species: rabbit (male) Value: 530 mg/kg

<u>Irritation / corrosion</u>

Assessment of irritating effects: May cause slight irritation to the skin. Moderately irritating to the eyes.

Eye

Species: rabbit Result: non-irritant

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Buehler test

Species: guinea pig

Result: Skin sensitizing effects were not observed in animal studies.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment of repeated dose toxicity: Causes mortality and signs of neurotoxicity through prolonged

or repeated exposure.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil

Assessment of mutagenicity: Results from a number of mutagenicity studies with microorganisms, mammalian cell culture and mammals are available. Taking into account all of the information, there is no indication that the substance is mutagenic.

Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil

Assessment of carcinogenicity: In long-term studies in rats the substance induced thyroid tumors. In long-term studies in rodents exposed to high doses, a tumorigenic effect was found; however, these results are thought to be due to a rodent-specific liver effect that is not relevant to humans.

Reproductive toxicity

Revision date: 2014/10/02 Page: 9/12 Version: 2.0 (30278705/SDS CPA US/EN)

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: fipronil

Assessment of reproduction toxicity: Animal studies gave no indication of a developmental toxic

effect at doses that were not toxic to the parental animals.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Fipronil

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen

in animal studies.

Symptoms of Exposure

CNS stimulation, tremors, convulsions

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Toxicity to fish

LC50 (96 h) 0.291 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 92/69/EEC, C.1)

Aquatic invertebrates

LC50 (48 h) 0.22 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants

EC50 (96 h) 0.21 mg/l, Scenedesmus subspicatus

Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

Soil living organisms

Toxicity to soil dwelling organisms:

LC50 > 4,777.78 mg/kg, Eisenia foetida

Other terrestrial non-mammals

Information on: fipronil

LD50 (48 d) 0,00593 ug/bee (contact), Apis mellifera LD50 (48 d) 0,00417 ug/bee (oral), Apis mellifera

Mobility in soil

Safety Data Sheet

TERMIDOR® 80 WG TERMITICIDE/INSECTICIDE

Revision date: 2014/10/02 Page: 10/12 Version: 2.0 (30278705/SDS_CPA_US/EN)

Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

Additional information

Other ecotoxicological advice:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Must be sent to a suitable incineration plant, observing local regulations.

Container disposal:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Land transport

USDOT

Hazard class: 6.1 Packing group: III

ID number: UN 2588 Hazard label: 6.1, EHSM

Proper shipping name: PESTICIDE, SOLID, TOXIC, N.O.S. (contains FIPRONIL)

Sea transport

IMDG

Hazard class: 6.1 Packing group: III

ID number: UN 2588 Hazard label: 6.1, EHSM Marine pollutant: YES

Proper shipping name: PESTICIDE, SOLID, TOXIC, N.O.S. (contains FIPRONIL)

Air transport

IATA/ICAO

Hazard class: 6.1
Packing group: III
ID number: UN 2588

Hazard label: 6.1

Proper shipping name: PESTICIDE, SOLID, TOXIC, N.O.S. (contains FIPRONIL)

15. Regulatory Information

Federal Regulations

Registration status:

Revision date: 2014/10/02 Page: 11/12 Version: 2.0 (30278705/SDS_CPA_US/EN)

Chemical TSCA, US blocked / not listed

Crop Protection TSCA, US released / exempt

EPCRA 311/312 (Hazard categories): Acute;

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

WARNING:

KEEP OUT OF REACH OF CHILDREN.

May be fatal if inhaled.

May be fatal if swallowed.

May be fatal if absorbed through skin.

Causes eve irritation.

Do not get in eyes, on skin, or on clothing.

Do not breathe vapours/mists.

Wash thoroughly after handling.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2014/10/02

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

TERMIDOR® 80 WG TERMITICIDE/INSECTICIDE is a registered trademark of BASF Corporation or BASF SE

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED

Revision date: 2014/10/02 Page: 12/12 Version: 2.0 (30278705/SDS_CPA_US/EN)

A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET