

M A T E R I A L S A F E T Y D A T A S H E E T

Prescription Treatment® brand ULD® BP-50 Contact Insecticide Formula 1

EMERGENCY PHONE NUMBERS:

MEDICAL: 800-225-3320 (Prosar)

TRANSPORTATION: 800-424-9300 (Chemtrec)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Prescription Treatment® brand ULD® BP-50 Contact Insecticide Formula 1
EPA Reg. No.: 499-453
Product Codes: 02-4912 (4 x 1 gal)
 02-4915 (2 x 2.5 gal)
 02-4914 (1 x 55 gal)
EPA Signal Word: CAUTION
Distributed by: Whitmire Micro-Gen Research Laboratories, Inc.
 3568 Tree Court Industrial Blvd.
 St. Louis MO 63122-6682

SECTION 2. COMPOSITION / INFORMATION ON INGREDIENTS

COMPOSITION INFORMATION

ACTIVE INGREDIENTS (5.5%)	%	CAS NO.
Pyrethrins	0.50	8003-34-7
Piperonyl Butoxide, Technical	5.00	51-03-6
OTHER INGREDIENTS* (94.5%)	%	CAS NO.
Petroleum Distillate	> 10.00	64742-47-8

* All ingredients may not be listed. Ingredients not listed do not meet the reporting requirements of the OSHA Hazard Communication Standard (HCS) as specified in 29 CFR 1910.1200.

EXPOSURE INFORMATION

MATERIAL	OSHA PEL		ACGIH TLV	
	STEL	TWA	STEL	TWA
Pyrethrins	NE	NE	10 mg/m ³	5 mg/m ³
Piperonyl Butoxide, Technical	NE	NE	NE	NE
Petroleum Distillate*	NE	500 ppm	NE	NE

* TWA recommended by ingredient supplier = 166 ppm

SECTION 3. HAZARDS IDENTIFICATION

NOTES TO PHYSICIAN

Contains petroleum distillate – vomiting may cause aspiration pneumonia.

SIGNS/SYMPTOMS OF EXPOSURE

Direct contact with eyes can cause irritation. Prolonged or repeated contact with skin may cause irritation. Product spray mist, fog or vapor may cause irritation to nose, throat and lungs. If taken internally, aspiration of liquid product may cause pneumonitis.

ROUTES OF ENTRY

Primary: Skin **Secondary:** Ingestion **Tertiary:** Inhalation

HAZARDOUS DECOMPOSITION PRODUCTS

When exposed to fire, produces normal products of combustion.

UNUSUAL FIRE, EXPLOSION AND REACTIVITY HAZARDS

Material can accumulate static charges which can cause an incendiary electrical discharge. Liquid runoff to sewers may create fire/explosion hazard.

SECTION 4. FIRST AID MEASURES

Have the product container or label with you when calling a poison control center or doctor or going for treatment. Describe any symptoms and follow the advice given.

Ingestion: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Skin Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 min. Call a poison control center or doctor for treatment advice.

Eye Contact: Hold eyes open and rinse slowly and gently with water for 15 - 20 min. Remove contact lenses, if present, after the first 5 min, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Note to Physician: Contains petroleum distillate – vomiting may cause aspiration pneumonia.

Medical Conditions Generally Aggravated by Exposure: None known

Emergency Telephone Number of Prosar: 800-225-3320 (for medical emergencies)

SECTION 5. FIRE FIGHTING MEASURES

FIRE AND EXPLOSION

Flash Point (TCC): 191°F

Explosibility Limits in Air (% by volume) for petroleum distillate:

Lower (LEL) = 1.3% Upper (UEL) = 8.1%

UNUSUAL FIRE, EXPLOSION AND REACTIVITY HAZARDS

Material can accumulate static charges which can cause an incendiary electrical discharge. Liquid runoff to sewers may create fire/explosion hazard.

IN CASE OF FIRE

Extinguisher Media: Foam, Dry Chemical, Water

Special Fire Fighting Procedures: Treat as an oil fire. Use water spray to cool fire exposed surfaces and to protect personnel. Isolate "fuel" supply from fire. Use foam, dry chemical or water spray to extinguish fire. Avoid spraying water directly into storage container due to danger of boil over. This liquid is volatile and gives off invisible vapors. Either the liquid or vapor may settle in low areas or travel some distance along the ground or surface to ignition sources where they may ignite or explode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILL OR LEAK

If container begins to leak (through puncture, etc.), eliminate all ignition sources. Do not let spilled or leaking material enter watercourse. May be toxic to aquatic life. Absorb with oil-dry or similar inert material. Sweep or scrape up and containerize.

This product contains the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) listed chemical *Pyrethrins* which has a reportable quantity (RQ) of 1 lb. A release of more than 200 lbs of this product (approx. 30 gal) is reportable to the National Response Center (800-424-8802).

Emergency Telephone Number of Chemtrec: 800-424-9300 (for transportation spills)

PROTECTIVE EQUIPMENT FOR CLEANUP PERSONNEL

Eyes: Use proper protection – safety glasses are recommended.

Skin: Wear chemical-resistant gloves. (Good practice requires that gross amounts of any chemical be removed from the skin as soon as practical, especially before eating or smoking.)

Inhalation: Use of a respirator may be appropriate when working with spills in enclosed or confined spaces, or when prolonged exposure to product vapor or spray mist may occur. When using a respirator, wear a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R or P prefilter. See 29 CFR 1910.134 for respiratory protection, training and testing requirements.

WASTE DISPOSAL METHOD

Do not contaminate water, food or feed by storage or disposal of wastes. Take full or leaking containers to a local disposal company for biological treatment or incineration. Review all local, state and federal regulations concerning health and pollution to determine approved disposal procedures. NEVER PLACE WASTES DOWN ANY INDOOR OR OUTDOOR DRAIN OR SEWER.

SECTION 7. HANDLING AND STORAGE

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Keep out of reach of children. CAUTION – Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling. Remove pets, birds, cover fish aquariums and turn off air pump motor before spraying.

OTHER PRECAUTIONS

Some furniture finishes, and particularly plastics, can be damaged by petroleum based insecticides. To avoid damage, cover those items and do not spray directly. If in doubt, test by applying this material to an inconspicuous area before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

STORAGE

Do not contaminate water, food or feed. Keep container tightly closed. Store in a cool, dry area inaccessible to children.

MATERIAL SAFETY DATA SHEET

Prescription Treatment® brand ULD® BP-50 Contact Insecticide Formula 1

SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Respiratory Protection: For prolonged exposure or if used in enclosed or confined areas, a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R or P prefilter may be used. See 29 CFR 1910.134 for respiratory protection, training and testing requirements.

Protective Gloves: Chemical-resistant gloves are recommended if prolonged or repeated skin contact is likely. (Good practice requires that gross amounts of any chemical be removed from the skin as soon as practical, especially before eating or smoking.)

Eye Protection: Use proper protection - safety glasses are recommended.

Other Protective Equipment: None required

VENTILATION

Local Exhaust: None required

Mechanical: None required

Special: None required

Other: Ventilate area before reentering. Do not remain in enclosed areas without appropriate respiratory protection.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear yellow liquid

Solubility in Water: Negligible

Viscosity: 3.04 cps @ 68°F

Boiling Point: > 200°F

pH: NE

Odor: Mild solvent odor

Vapor Pressure: < 0.1 mmHg @ 70°F

Vapor Density: 6 (air = 1.0)

Freezing/Melting Point: NE

Density: 0.8 g/ml @ 70°F

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

Stability: Stable

Conditions to Avoid: None known

Incompatibility (Material to Avoid): Strong oxidizing agents

Hazardous Polymerization: Will not occur

HAZARDOUS DECOMPOSITION PRODUCTS

When exposed to fire, produces normal products of combustion.

SECTION 11. TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY

Primary: Skin

Secondary: Ingestion

Tertiary: Inhalation

ACUTE

Eyes: Direct contact with eyes can cause irritation. Product produced minimal irritation in albino rabbits reversible in 24 hr.

Skin: Prolonged or repeated contact of product with skin may cause irritation. Acute dermal LD₅₀ > 2,000 mg/kg (rabbits).

Ingestion: If taken internally, aspiration of liquid product can cause chemical pneumonitis. Acute oral toxicity LD₅₀ > 5,000 mg/kg (rats).

Inhalation: Product spray mist, fog or vapor may cause irritation to nose, throat and lungs if adequate ventilation is not employed. Acute inhalation LC₅₀ > 7.0 mg/L (rats).

CHRONIC / CARCINOGENICITY

Neither this product nor any of its ingredients are classified as carcinogens by the National Toxicity Program (NTP), the International Agency for Research on Cancer (IARC) or the Occupational Safety and Health Administration (OSHA).

SECTION 12. ECOLOGICAL INFORMATION

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the label.

SECTION 13. DISPOSAL CONSIDERATION

Do not contaminate water, food or feed by disposal of container or waste. Dispose of container and waste in accordance with all federal, state and local regulations.

Container Disposal: ≤ 2.5 GAL BOTTLE: Empty container by using the product according to label directions. Do not reuse this container! Place empty container in trash or offer for recycling if available. If container is partly filled, call your local solid waste agency for disposal instructions. **55 GAL DRUMS:** Empty container by using the product according to label directions. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities. NEVER PLACE UNUSED PRODUCT DOWN ANY INDOOR OR OUTDOOR DRAIN OR SEWER.

Waste Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. NEVER PLACE WASTES DOWN ANY INDOOR OR OUTDOOR DRAIN OR SEWER.

SECTION 14. TRANSPORT INFORMATION

DOT, IMDG & ICAO/IATA CLASSIFICATION (4 x 1 GAL & 2 x 2.5 GAL)

Proper Shipping Description: Liquid Insecticide (Not Regulated)

Package Marking: NA

Package Labeling: NA

Certified Packaging: Not required

DOT, IMDG & ICAO/IATA CLASSIFICATION (55 GAL)

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S.

Hazard Class: 9

UN I.D. NO.: UN 3082

Packing Group: III

Proper Shipping Description: Environmentally Hazardous Substance, Liquid, NOS(Pyrethrin), 9, UN 3082, PG III, RQ

Package Labeling: Class 9 (Misc. Hazard)

Package Marking: Environmentally Hazardous Substance, Liquid, NOS (Pyrethrin), UN 3082, RQ

Certified Packaging: UN approved packaging required.

Other Requirements or Instructions: Product is not a marine pollutant. For air shipment, complete air bill with packing instruction "914, ERG code 9L".

Product in unopened original packaging is compliant with all regulations for ground shipment within the U.S. WMG disclaims any liability for claims or damages that may result from shipment by other means. Consult appropriately trained shipping professional before offering for shipment by water or air.

SECTION 15. REGULATORY INFORMATION

CERCLA

This product contains the CERCLA listed chemical *Pyrethrins* which has a reportable quantity (RQ) of 1 lb.

SARA TITLE III SECTION 311/312 HAZARD CLASS

This product has been reviewed according to the EPA "Hazard Categories" promulgated under Section 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Health Hazard

Flammability Hazard

SARA TITLE III SECTION 313 CHEMICALS

This product contains the following substances subject to the reporting requirements of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA Title III) and/or 40 CFR Part 372:

Piperonyl Butoxide, Technical (CAS #51-03-6) 5.0% by weight

TSCA

All components of this product are listed or excluded from listing on the US Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

SECTION 16. OTHER INFORMATION

NFPA HEALTH RATING INFORMATION

HEALTH - 1 FLAMMABILITY - 2 REACTIVITY - 0

HMIS HAZARD RATING INFORMATION

HEALTH - 1 FLAMMABILITY - 2 REACTIVITY - 0

KEY: 4 = Severe
3 = Serious
2 = Moderate
1 = Slight
0 = Minimal

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. **For automatic MSDS updates, register at www.wmmg.com.**

Questions concerning the safe handling of the product should be referred to the Whitmire Micro-Gen Customer Service Department at 800-777-8570.

NA - Not Applicable
NE - Not Established
PEL - Permissible Exposure Limit
TLV - Threshold Limit Value
STEL - Short Term Exposure Limit (15 min)
TWA - Time Weighted Average (8 hr)



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.

Effective Date: 09/12/06
Review Date: 09/12/06
Supersedes: 01/27/04
Code #: 191-003
Text ID: 070511-3
Part Number: 19-0782-03