SAFETY DATA SHEET D-Force Insecticide

SDS #: 7099-A Revision date: 2016-05-26 Format: NA Version 1.04



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier	
Product Name	D-Force Insecticide
Other means of identification	
Product Code(s)	7099-A
Synonyms	(1R,3R)-3(2,2-dibromovinyl)-2,2-dimethylcylcopropane carboxylic
Active Ingredient(s)	Deltamethrin
Chemical Family	Pyrethroid Ester Insecticide
Recommended use of the chemical	and restrictions on use
Recommended Use:	Insecticide
Restrictions on Use:	Use as recommended by the label
Manufacturer Address	FMC Corporation 2929 Walnut Street Philadelphia, PA 19104 (215) 299-6000 (General Information) msdsinfo@fmc.com (E-Mail General Information)
Emergency telephone number	
	For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)
	Medical Emergencies: 1 800 / 331-3148 (PROSAR - U.S.A. & Canada) 1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Gases)	Category 4
Skin sensitization	Category 1B
Aspiration toxicity	Category 1
Flammable Aerosols	Category 1

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements H302 - Harmful if swallowed H304 - May be fatal if swallowed and enters airways H317 - May cause an allergic skin reaction H332 - Harmful if inhaled Physical Hazards H222 - Extremely flammable aerosol H229 - Pressurized container: May burst if heated

Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P272 - Contaminated work clothing should not be allowed out of the workplace

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P363 - Wash contaminated clothing before reuse

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P331 - Do NOT induce vomiting

P330 - Rinse mouth

Precautionary Statements - Storage

P405 - Store locked up P410 + P403 - Protect from sunlight. Store in a well-ventilated place

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Pyrethroid Ester Insecticide.

Chemical name	CAS-No	Weight %
Deltamethrin	52918-63-5	0.06
Petroleum distillates, hydrotreated light	64742-47-8	>75
Naphtha (petroleum), light alkylate	64741-66-8	10-20
Carbon Dioxide	124-38-9	1-5

Synonyms are provided in Section 1.

4. FIRST AID MEASURES		
Eye Contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.	
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.	
Inhalation	Move to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.	
Ingestion	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.	
Most important symptoms and effects, both acute and delayed	None known.	
Indication of immediate medical attention and special treatment needed, if necessary	Treat symptomatically. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.	
	5. FIRE-FIGHTING MEASURES	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Specific Hazards Arising from the Chemical	Contents under pressure. Non-flammable aerosol.	
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	Not sensitive. Not sensitive.	
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.	
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.	
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.	
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. Rinsate may be disposed at a waste water treatment plant.	

7. HANDLING AND STORAGE

Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage

Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.

Incompatible products

None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Carbon Dioxide	STEL 30000 ppm	TWA: 5000 ppm	IDLH: 40000 ppm	Mexico: TWA 5000 ppm
(124-38-9)	TWA: 5000 ppm	TWA: 9000 mg/m ³	TWA: 5000 ppm	Mexico: TWA 9000
		_	TWA: 9000 mg/m ³	mg/m³
			STEL: 30000 ppm	Mexico: STEL 15000
			STEL: 54000 mg/m ³	ppm
				Mexico: STEL 27000
				mg/m ³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Petroleum distillates,	TWA: 200 mg/m ³	-	-	-
hydrotreated light	Skin			
(64742-47-8)				
Carbon Dioxide	TWA: 5000 ppm	TWA: 5000 ppm	TWA: 5000 ppm	TWA: 5000 ppm
(124-38-9)	STEL: 15000 ppm	TWA: 9000 mg/m ³		TWA: 9000 mg/m ³
		STEL: 30000 ppm		STEL: 30000 ppm
		STEL: 54000 mg/m ³	STEL: 30000 ppm	STEL: 54000 mg/m ³

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection	If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.
Skin and Body Protection	Wear suitable protective clothing. Protective shoes or boots.
Hand Protection	Protective gloves
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.
General information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Clear, Colorless Aerosolized liquid
Physical State	Aerosol
Color	Clear, Colorless
Odor	No information available

D-Force Insecticide

Odor threshold pН Melting point/freezing point Boiling Point/Range Flash point **Evaporation Rate** Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Densitv Specific gravity Water solubility Solubility in other solvents **Partition coefficient** Autoignition temperature **Decomposition temperature** Viscosity, kinematic Viscosity, dynamic **Explosive properties Oxidizing properties** Molecular weight **Bulk density**

No information available No information available Not applicable No information available Non-flammable per flame projection test. No information available 6.69 lb/gal No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

Not applicable

Chemical Stability
Possibility of Hazardous Reactions
Hazardous polymerizationStable under recommended storage conditions.
None under normal processing.
Hazardous polymerization does not occur.Conditions to avoid
Incompatible materialsHeat, flames and sparks.
None known.Hazardous Decomposition ProductsNone known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	500 -5000 mg/kg (rat)
LD50 Dermal	> 2000 mg/kg (rat)
LC50 Inhalation	> 2 mg/L (rat) 4 hr
Serious eye damage/eye irritation	Mildly irritating.
Skin corrosion/irritation	Irritating to skin.
Sensitization	Sensitizer

Information on toxicological effects

Symptoms	Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.	
Delayed and immediate effects as well as chronic effects from short and long-term exposure		
Chronic toxicity	Deltamethrin: Repeated or prolonged exposure may cause central nervous system effects (decrease motor activity, tremor, difficulty breathing, impaired gait and choreoathetosis).	
Mutagenicity	Deltamethrin: Not genotoxic in laboratory studies.	
Carcinogenicity	Deltamethrin: No evidence of carcinogenicity from animal studies.	
Neurological effects	Deltamethrin: Neurobehavioral effects (tremors) were observed in studies with animals.	
Reproductive toxicity	Deltamethrin: No toxicity to reproduction in animal studies.	

Developmental toxicity STOT - single exposure STOT - repeated exposur Target organ effects Neurological effects Aspiration hazard	e Not classified Not classified Nervous syst Deltamethrin:	l.		l in studies with animals.
Chemical name	ACGIH	IARC	NTP	OSHA
Deltamethrin		Group 3		
52918-63-5				

12. ECOLOGICAL INFORMATION

Ecotoxicity

Deltamethrin (52918-63-5)				
Active Ingredient(s)	Duration	Species	Value	Units
Deltamethrin	96 h LC50	Fish	0.26	µg/L
	48 h EC50	Crustacea	0.56	μg/L
	72 h EC50	Algae	9.1	mg/L
	21 d NOEC	Fish	0.032	µg/L
	21 d NOEC	Crustacea	0.0041	μg/L
Persistence and degradability		-persistent. Does not rea). Not readily biodegrada		nd 8. Readily
Bioaccumulation	Deltamethrin: The substance has a potential for bioconcentration.			
Mobility	Deltamethrin: Immobile; Not expected to reach groundwater.			
	13. DISPOS	SAL CONSIDERATION	ONS	
Waste disposal methods	Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.			
Contaminated Packaging	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.			
	14. TRANS	SPORT INFORMATI	ON	
DOT	USDOT is requiring that products formerly classified as "Consumer Commodity, ORM-D" transition to "Limited Quantity" by 12/31/2020. During the transition period the 49CFR carton shipping marks may be Consumer Commodity (old) or Limited Quantity Diamond (new). Please prepare shipping documents to match the carton mark.			
	transition to "Limite carton shipping ma	ed Quantity" by 12/31/202 arks may be Consumer C	20. During the transition commodity (old) or Limite	period the 49CFR ed Quantity Diamond
UN/ID no Proper Shipping Name Hazard class	transition to "Limite carton shipping ma	ed Quantity" by 12/31/202 arks may be Consumer C pare shipping documents	20. During the transition commodity (old) or Limite	period the 49CFR ed Quantity Diamond
Proper Shipping Name	transition to "Limite carton shipping ma (new). Please pre UN1950 Consumer commo ORM-D Ship as Limited Qu UN1950 Aerosols 2.2 Deltamethrin.	ed Quantity" by 12/31/202 arks may be Consumer C pare shipping documents	20. During the transition commodity (old) or Limite to match the carton ma	period the 49CFR ed Quantity Diamond ırk.
UN/ID no Proper Shipping Name Hazard class <u>TDG</u> UN/ID no Proper Shipping Name Hazard class Marine Pollutant	transition to "Limite carton shipping ma (new). Please pre UN1950 Consumer commo ORM-D Ship as Limited Qu UN1950 Aerosols 2.2 Deltamethrin.	ed Quantity" by 12/31/202 arks may be Consumer C pare shipping documents dity uantity. Carton marks inc	20. During the transition commodity (old) or Limite to match the carton ma	period the 49CFR ed Quantity Diamond ırk.

ICAO/IATA	Carton Marks: Limited quantity air, orientation arrows, Class 9 Diamond, Consumer Commodity, ID8000
UN/ID no	ID8000
Proper Shipping Name	Consumer commodity
Hazard class	9
IMDG/IMOUN/ID no	Ship as Limited Quantity. Carton marks include Limited Quantity mark and orientation arrows. UN1950
Proper Shipping Name	Aerosols
Hazard class	2.2
EmS No.	F-D, S-U
Description	UN1950, Aerosols, 2.2, Marine pollutant (Deltamethrin)

15. REGULATORY INFORMATION

U.S. Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed or absorbed through the skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. This product is toxic to fish.

,

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Carbon Dioxide	Х	Х	Х
124-38-9			

International Inventories

Chemical name	TSCA (United States)	· · ·	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Deltamethrin 52918-63-5			Х		Х	Х	Х	Х
Petroleum distillates, hydrotreated light 64742-47-8	X	X	Х		X	X	Х	Х
Naphtha (petroleum), light alkylate 64741-66-8	X	X	Х		X	Х	Х	Х
Carbon Dioxide 124-38-9	Х	Х	Х	Х	Х	Х	Х	Х

Mexico - Grade

Moderate risk, Grade 2

Chemical name	Carcinogen Status	Mexico
Carbon Dioxide		Mexico: TWA 5000 ppm
		Mexico: TWA 9000 mg/m ³
		Mexico: STEL 15000 ppm
		Mexico: STEL 27000 mg/m ³

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Carbon Dioxide	100000	100000 kg/yr

WHMIS Hazard Class



A - Compressed gases D2B - Toxic materials

16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 2	Flammability 1	Physical hazard 0	Personal Protection X

Revision date: Reason for revision: 2016-05-26 Format Change

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a

SDS #: 7099-A Revision date: 2016-05-26 Version 1.04 beyond the control of FMC

manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2017 FMC Corporation. All Rights Reserved. End of Safety Data Sheet