

INCIDE® PEST CONTROL INSULATION (insecticide)**CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

Product Name:	INCIDE® PEST CONTROL INSULATION MANUFACTURER: VARIOUS LICENSEES	
Chemical Formula:	$(C_{11}H_{15}O_5) + Na_2SO_4 \cdot H_3BO_3$	
Chemical Name/Synonyms:	Cellulose Insulation	
Chemical Family:	Cellulose Treated With Inorganic Salts	
CAS Registry Number:	Not Established	EMERGENCY PHONE NUMBERS:
TSCA Inventory Number:	Not Established	CHEMTREC 800-424-9300
EPA Pesticide Reg. No.:	44757-4	InCide® Technologies, Inc. 602-233-0756

INCIDE® PEST CONTROL INSULATION is a registered trademark of InCide® Technologies, Inc.

COMPOSITION/INFORMATION ON INGREDIENTS OSHA HAZARDS

This product contains recycled shredded-paper (77%) with sodium polyborate and Board Defense® (disodium octaborate tetrahydrate) (23%). Sodium polyborate is the active ingredient in this product and is used as a flame retardant. This chemical also has insecticide properties, which are beneficial to this building material. Board Defense®, EPA Reg. No. 44757-20 is a fungicide added for mold control. Both sodium polyborate and Board Defense are applied to shredded-paper during the manufacturing process. Regarding information on the chronic and ecological toxicity of this product, we have reviewed the available medical and toxicological literature for 100% boric acid. Boric acid can be used in an identical manner, is chemically very similar to and slightly more toxic than comparable concentrations and exposures to sodium polyborate and disodium octaborate tetrahydrate. Boric acid is hazardous under the OSHA Hazard Communication Standard based on animal chronic toxicity studies.

HAZARD IDENTIFICATION**EMERGENCY OVERVIEW:**

INCIDE® PEST CONTROL INSULATION is a gray, odorless cellulosic fiber insulation material treated with inorganic salts for flame and insect control. The product is not flammable, combustible, or explosive, and it presents no unusual hazard if involved in a fire. INCIDE® PEST CONTROL INSULATION is considered “relatively harmless” via oral ingestion and “slightly toxic” via dermal exposure (see Toxicological Details section for more information). Care should be taken to minimize the amount of INCIDE® PEST CONTROL INSULATION released to the environment to avoid ecological effects.

POTENTIAL ECOLOGICAL EFFECTS:

Large amounts of INCIDE® PEST CONTROL INSULATION can be harmful to boron-sensitive plants and other ecological systems.

POTENTIAL HEALTH EFFECTS:

Routes of Exposure: Inhalation is the most significant route of exposure in occupational and other settings. Dermal exposure is not usually a concern because INCIDE® PEST CONTROL INSULATION is not absorbed through intact skin.

Inhalation: Occasional mild irritation of nose and throat may occur from inhalation of INCIDE® PEST CONTROL INSULATION dusts at levels greater than 2 mg/m³.

Eye Contact: INCIDE® PEST CONTROL INSULATION is non-irritating to eyes in normal industrial use.

Skin Contact: INCIDE® PEST CONTROL INSULATION does not cause irritation to intact skin. Under the Hodge and Sterner Scale¹ of acute toxicology it is considered to be “slightly toxic” via the dermal route of exposure.

Ingestion: Products containing INCIDE® PEST CONTROL INSULATION are not intended for ingestion. INCIDE® PEST CONTROL INSULATION is considered “relatively harmless” on the Hodge and Sterner Scale¹ via oral ingestion. Small amounts (e.g. 3 teaspoonfuls or 10 grams) swallowed accidentally are not likely to cause effects; swallowing amounts larger than that may cause gastrointestinal symptoms.

Cancer: INCIDE® PEST CONTROL INSULATION is not considered a carcinogen.

Reproductive: Long-term, high dose animal ingestion studies of similar inorganic borate chemicals at significantly higher concentrations have demonstrated reproductive effects in male animals. A human study of occupational exposure to borate dust showed no adverse effect to reproduction.

Developmental: Multiple high dose animal ingestion studies of similar inorganic borate chemicals at significantly higher concentrations have demonstrated developmental effects in fetuses of pregnant animals, including fetal weight loss.

Target Organs: No target organ has been identified in humans. Multiple high dose animal ingestion studies of similar inorganic borate chemicals at high concentrations than from typical occupational exposures indicate the testes are the target organs in male animals.

Signs and Symptoms of Exposure: Symptoms of accidental over-exposure to borate products have been associated with ingestion or by absorption through large areas of damaged skin. Exposure via either route, given a sufficient dose, might result in signs and symptoms such as central nervous system effects, kidney effects, nausea, vomiting, and diarrhea, with delayed effects of skin redness and peeling (via the dermal route). Refer to Toxicology Information Section for details on Toxicological Data.

¹ Hodge H.C. and Sterner J.H. Combined tabulation of toxicity classes. Handbook of toxicology, WB Saunders (1956)

InCide® Technologies, Inc. - INCIDE® PEST CONTROL INSULATION (insecticide) – MSDS Page 2

FIRST AID MEASURES

Inhalation: No specific treatment is necessary since INCIDE® PEST CONTROL INSULATION is not likely to be hazardous by inhalation. Prolonged exposure to dust levels in excess of regulatory limits should always be avoided.

Eye Contact: Use eye wash fountain or fresh water to cleanse eye. If irritation persists for more than 30 minutes, seek medical attention.

Skin Contact: No treatment necessary because non-irritating.

Ingestion: Swallowing less than one teaspoon will cause no harm to healthy adults. If larger amounts are swallowed, give two glasses of water to drink and seek medical attention.

NOTE TO PHYSICIANS: Observation only is required for adult ingestion of a few grams of INCIDE® PEST CONTROL INSULATION. For ingestion in excess of larger amounts, maintain adequate kidney function and force fluids. Gastric lavage is recommended for symptomatic patients only. Hemodialysis should be reserved for massive acute ingestion or patients with renal failure. Boron analyses of urine or blood are only useful for documenting exposure and should not be used to evaluate severity of poisoning or to guide treatment.

FIRE FIGHTING MEASURES

General Hazard: None, because INCIDE® PEST CONTROL INSULATION is not flammable, combustible or explosive. The product itself is a flame retardant.

Extinguishing Media: Any fire extinguishing media may be used on nearby fires.

Flammability Classification: Class I (ASTM E-84), meets or exceeds CPSC Standard 16 CFR Parts 1209 and 1404. Non flammable solid.

ACCIDENTAL RELEASE MEASURES

General: INCIDE® PEST CONTROL INSULATION contains water-soluble inorganic salts that may cause damage to trees or vegetation by root absorption. (Refer to Ecological information for specific information)

Land Spill: Vacuum, shovel or sweep up INCIDE® PEST CONTROL INSULATION and place in containers for disposal in accordance with applicable local regulations. Avoid contamination of water bodies during clean up and disposal. No personal protective equipment is needed to clean up land spills

Water Spill: INCIDE® PEST CONTROL INSULATION will cause localized contamination of surrounding waters depending on the quantity dissolved in these waters. At high concentrations some damage to local vegetation, fish and other aquatic life may be expected. INCIDE® PEST CONTROL INSULATION is a non-hazardous waste when spilled or disposed of, as defined in the Resource Conservation and Recovery Act (RCRA) regulations (40 CFR 261). (Refer to Regulatory Information for additional references and information regarding EPA and California regulations.)

HANDLING AND STORAGE

Storage Temperature: Ambient

Storage Pressure: Atmospheric

Special Sensitivity: None known

General: No special handling precautions are required, but dry, indoor storage is recommended. To maintain package integrity, bags should be handed on a "first-in first-out" basis. Good housekeeping procedures should be followed to minimize dust generation and accumulation.

EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use local exhaust ventilation to keep airborne concentrations of INCIDE® PEST CONTROL INSULATION dust below permissible exposure levels.

Personal Protection: Where airborne concentrations are expected to exceed exposure limits, NIOSH certified dust particulate respirators must be used. Eye goggles and gloves are not required for normal industrial exposures, but may be warranted if environment is excessively dusty.

Occupational Exposure Limits: INCIDE® PEST CONTROL INSULATION is listed/regulated by OSHA and Cal OSHA as "Particulate Not Otherwise Classified" or "Nuisance Dust". ACGIH has published exposure limits for "Borate Compounds, Inorganic"

OSHA: PEL** 15 mg/m₃ total dust and 5 mg/m³ respirable dust

ACGIH: TLV** 2 mg/m₃

ACGIH: STEL*** 6 mg/m₃

Cal OSHA: PEL* 10 mg/m³ and 5 mg/m³ respirable fraction

*PEL Permissible Exposure Limit

**TLV Threshold Limit Value

***STEL Short Term Exposure Limit

PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Gray, odorless fiber	Boiling Point:	Not Applicable
Specific Gravity:	0.7 compressed	Melting Point:	Not Applicable
Vapor Pressure:	Negligible @ 20°C	Flash Point:	Not Applicable
Solubility in Water:	Fiber is not soluble; Chemical additive is soluble at the rate of 4.7% @ 20° C.	pH:	7.2 (2.0% solution @ 25°C)
		Viscosity:	Not Applicable

STABILITY AND REACTIVITY

General: INCIDE® PEST CONTROL INSULATION is a stable product.

Incompatible Materials and Conditions to Avoid: Reaction with strong reducing agents such as metal hydrides or alkali metals will generate hydrogen gas which could create an explosive hazard.

Hazardous Decomposition: None

TOXICOLOGICAL INFORMATION

INGESTION (ACUTE ORAL TOXICITY): “Relatively Harmless” acute oral toxicity the Hodge and Sterner Scale¹ ; LD₅₀ of INCIDE® PEST CONTROL INSULATION in rats is 19,879 mg/kg of body weight.

SKIN (ACUTE DERMAL TOXICITY): “Slightly toxic” acute dermal toxicity the Hodge and Sterner Scale¹; LD₅₀ of INCIDE® PEST CONTROL INSULATION in rabbits is greater than 2000 mg/kg of body weight. INCIDE® PEST CONTROL INSULATION is not absorbed through intact skin.

PRIMARY SKIN IRRITATION INDEX: “0” which is considered non-irritating.

INCIDE® PEST CONTROL INSULATION is non-corrosive

EYE: Draize test in rabbits produced mild eye irritation effects. Many years of occupational exposure history reflects no indication of human eye injury from exposure to INCIDE® PEST CONTROL INSULATION.

NOTE: INCIDE® PEST CONTROL INSULATION contains on average 14.72% boric acid and 85.28% inert cellulosic fiber. The boric acid data discussed in this section relates to 100% pure boric acid, borax, or other borates.

INHALATION: Human epidemiological studies show no increase in pulmonary disease in occupational populations with chronic exposures to boric acid dust and sodium borate dust.

CARCINOGENICITY: A Technical Report issued by the National Toxicology Program showed "no evidence of carcinogenicity" from a full 2-year bioassay on boric acid in mice at feed doses of 2500 and 5000 ppm in the diet. No mutagenic activity was observed for boric acid in a recent battery of four short-term mutagenicity assays.

REPRODUCTIVE/DEVELOPMENTAL TOXICITY: Multiple high doses of boric acid to animals have shown a reduction or inhibition of sperm production, causing testicular atrophy, and, when given to pregnant animals during gestation, may cause developmental changes. These feed studies were conducted under chronic exposure conditions leading to doses many times in excess of those that could occur through inhalation of dust in occupational settings.

Reproductive Toxicity (Fertility): Dietary boric acid levels of 6,700 ppm in chronic feeding studies in rats and dogs produced testicular atrophy, while dogs and rats receiving 2000 ppm did not develop testicular changes (Weir, Fisher, 1972). In chronic feeding studies of mice on diets containing 5000 ppm (550 mg/kg/d) boric acid, testicular atrophy was present while mice fed 2500 ppm (275 mg/kg/d) boric acid showed no significant increase in testicular atrophy (NTP, 1987). In another boric acid chronic study, in mice given 4500 ppm (636 mg/kg/d), degeneration of seminiferous tubules was present together with a reduction of germ cells, while at 1000 ppm (152 mg/kg/d) no effect was seen (Fail et al., 1991). In a reproduction study on rats, 2000 ppm of dietary boric acid had no adverse effect on lactation, litter size, weight and appearance (Weir, Fisher, 1972). In a continuous breeding study in mice there was reduction in fertility rates for males receiving 4500 ppm (636 mg/kg/d) boric acid, but not for females receiving 4500 ppm boric acid (Fail et al., 1991)

Developmental Toxicity: Boric acid at dietary levels of 1000 ppm (78 mg/kg/d) administered to pregnant female rats throughout gestation caused a slight reduction in fetal weight, but was considered to be close to the LOAEL. Doses of 2000 ppm (163 mg/kg/d) and above caused fetal malformations and maternal toxicity. In mice the no effect level for fetal weight reduction and maternal toxicity was 1000 ppm (248 mg/kg/d) boric acid. Fetal weight loss was noted at dietary boric acid levels of 2000 ppm (452 mg/kg/d) and above. Malformations (agenesis or shortening of the thirteenth rib) were seen at 4000 ppm (1003 mg/kg/d), (Heindel et al., 1992).

¹ Hodge H.C. and Sterner J.H. Combined tabulation of toxicity classes. Handbook of toxicology, WB Saunders (1956)

² Weir, R.J. and Fisher, R.S., Toxicol. Appl. Pharmacol., 23:351-364 (1974)

³ National Toxicology Program (NTP)-Technical Report Series No. TR324, NIH Publication NO. 88-2580 (1987), PB88-213475/XAB

⁴ Fail et al., Fund. Appl. Toxicol. 17, 225-239 (1991)

⁵ Heindel et al., Fund Appl. Toxicol. 18, 266-277 (1992)

ECOLOGICAL INFORMATION

ECOTOXICITY DATA:

Phytotoxicity: Although boron is an essential micronutrient for healthy growth of boron-sensitive plants, it can be harmful to plants in higher quantities. Plants and trees can easily be exposed by root absorption to toxic levels of boron in the form of water-soluble borate leached into nearby soil or waters. Care should be taken to minimize the amount of borate product released to the environment.

Fish Toxicity: Boron naturally occurs in sea water at an average concentration of 5 mg B/liter. In laboratory studies the acute toxicity (96-hr LC₅₀) for under-yearling Coho salmon (*Opestrichthys kisutch*) in sea water was determined as 40 mg B/L (added as sodium metaborate). Boron concentrations in fresh surface waters are generally less than 1 mg B/L. Laboratory studies on the toxicity of freshwater fish were determined using early life (embryo-larval) stages in natural water and boric acid as a test substance. The results were:

Rainbow Trout (<i>S. gairdneri</i>)
24-day LC ₅₀ =150.0 mg B/L
36-day NOEC•LOEC=0.75-1 mg B/L
Goldfish (<i>Carassius auratus</i>)
7-day NOEC•LOEC=26.50 mg B/L
3-day LC ₅₀ =178 mg B/L

Invertebrate Toxicity: The acute toxicity (48-hour LC₅₀) to Daphnids (*Daphnia magna* Straus) in natural water is reported to be 133 mg B/L (added as boric acid). Estimated chronic toxicity (21-day NOEC•LOEC) values of 6-13 mg B/L (added as boric acid) have also been reported.

ENVIRONMENTAL FATE DATA:

Persistence/Degradation: Boron and boron containing compounds, such as Zone Defense® and Board Defense®, are naturally occurring and ubiquitous in the environment. In the presence of water, sodium polyborate and disodium octaborate tetrahydrate disassociate into natural borates and boric acid.

Soil Mobility: The boric acid additive in INCIDE® PEST CONTROL INSULATION is soluble in water and is leachable through normal soil.

NOTE: Boron (B) is the element in INCIDE® PEST CONTROL INSULATION which is used to characterize borate ecological effects. To convert INCIDE® PEST CONTROL INSULATION data to Boron (B), multiply by 0.026.

DISPOSAL CONSIDERATIONS

Disposal Guidance: Small quantities of INCIDE® PEST CONTROL INSULATION can usually be disposed of at Municipal Landfill sites. No special disposal treatment is required, but refer to state and local regulations for applicable site-specific requirements. Tonnage quantities of product are not recommended to be sent to landfills. Such product should, if possible, be re-used for an appropriate application.

RCRA (40 CFR 261): INCIDE® PEST CONTROL INSULATION is not listed under any sections of the Federal Resource Conservation and Recovery Act (RCRA).

California Hazardous Waste Designation: California identifies substances with acute LD₅₀'s less than 5000 mg/kg as "hazardous wastes". INCIDE® PEST CONTROL INSULATION is therefore not a "hazardous waste" if spilled in California. Refer to Regulatory Information for additional information

TRANSPORT INFORMATION

DOT Hazardous Material Classification: INCIDE® PEST CONTROL INSULATION is not a U.S. Department of Transportation (DOT) Hazardous Material.

DOT Hazardous Substance Classification: INCIDE® PEST CONTROL INSULATION is not a DOT Hazardous Substance.

International Transportation: INCIDE® PEST CONTROL INSULATION has no U.N. Number, and is not regulated under international rail, highway, water, or air transport regulations.

REGULATORY INFORMATION

TSCA No.: INCIDE® PEST CONTROL INSULATION does not appear on the EPA TSCA inventory list. Boric Acid appears on the EPA TSCA inventory list under the CAS No. 10043-35-3.

FIFRA: INCIDE® PEST CONTROL INSULATION (insecticide) is registered with the EPA, in accordance with Section 3 of FIFRA, as a pesticide product. Refer to official EPA registered product label for additional product Hazard and Precautionary information.

RCRA: INCIDE® PEST CONTROL INSULATION is not listed as a hazardous waste under any sections of the Resource Conservation and Recovery Act or regulations (40 CFR 261 et seq.).

InCide® Technologies, Inc. - INCIDE® PEST CONTROL INSULATION (insecticide) – MSDS Page 5

Superfund: CERCLA/SARA. INCIDE® PEST CONTROL INSULATION is not listed under CERCLA (the Comprehensive Environmental Response Compensation and Liability Act) or its 1986 amendments, SARA, (the Superfund Amendments and Reauthorization Act), including substances listed under Section 313 of SARA, Toxic Chemicals, 42 USC 11023, 40 CFR 372.65; Section 302 of SARA, Extremely Hazardous Substances, 42 USC 11002, 40 CFR 355; or the CERCLA Hazardous Substances list, 42 USC 9604, 40 CFR 302.

Safe Drinking Water Act: INCIDE® PEST CONTROL INSULATION is not regulated under the SDWA, 42 USC 300g-1, 40 CFR 141 et seq. Consult state and local regulations for possible water quality advisories regarding boron.

Clean Water Act (Federal Water Pollution Control Act): 33 USC 1251 et seq.

- a.) INCIDE® PEST CONTROL INSULATION is not itself a discharge covered by any water quality criteria of Section 304 of the CWA, 33USC 1314.
- b.) It is not on the Section 307 List of Priority Pollutants, 33 USC 1317, 40 CFR 129
- c.) It is not on the Section 311 List of Hazardous Substances, 33 USC 1321, 40 CFR 116.

OSHA/Cal OSHA: This MSDS document meets the requirements of both OSHA (29 CFR 1910.1200) and Cal OSHA (Title 8 CCR 5194(g)) hazard communication standards. Refer to Exposure Control/Personal Protection for regulatory exposure limits.

IARC: The International Agency for Research on Cancer (of the World Health Organization) does not list or categorize INCIDE® PEST CONTROL INSULATION as a carcinogen.

NTP Annual Report on Carcinogens: INCIDE® PEST CONTROL INSULATION is not listed.

OSHA Carcinogen: INCIDE® PEST CONTROL INSULATION is not listed.

California Proposition 65: INCIDE® PEST CONTROL INSULATION is not listed on any Proposition 65 lists of carcinogens or reproductive toxicants.

OTHER INFORMATION

Product Label Text Hazard Information: Refer to the official EPA product label for additional product Hazard and Precautionary information.

National Fire Protection Association (NFPA) Classification:

Health - 0, Flammability - 0, Reactivity 0

Hazardous Materials Information Systems (HMIS):

Red: (Flammability) - 0, Yellow: (Reactivity) - 0, Blue: (Acute Health) - 1*

*Chronic Effects

Information presented herein has been compiled from sources considered dependable and is accurate and reliable to the best of our knowledge and belief, but it is not guaranteed to be so. Nothing herein is to be construed as recommending any practice or any product in violation of any law or regulation. It is the user's responsibility to determine the suitability of any material for a specific purpose and adopt necessary safety precautions. We make no warranty as to results to be obtained in using any material and, since conditions or use are not under our control, we must necessarily disclaim all liability with respect to use of any material supplied by us.

Replaces all previous MSDS for InCide® Pest Control Insulation

For more information and locations of various manufacturing licensees contact InCide® Technologies, Inc. at: 800-777-4569