

SAFETY DATA SHEET
TRANSPORT™ GHP INSECTICIDE

SDS # : 6348-1-A
Revision date: 2015-04-10
Format: NA
Version 1



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name TRANSPORT™ GHP INSECTICIDE

Other means of identification

Product Code(s) 6348-1-A

Synonyms

BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl
3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name);
2-methylbiphenyl-3-ylmethyl
(Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate
(IUPAC name);

ACETAMIPRID:
(E)-1-(6-chloro-3-pyridylmethyl)-N-nitroimidazolidin-2-ylideneamine;(2E)-1-[(6-chloro-3-pyridinyl)methyl]-N-nitro-2-imidazolidinimine

Active Ingredient(s) Bifenthrin, Acetamiprid

Chemical Family Pyrethroid Pesticide, Neonicotinoid

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label

Manufacturer Address

FMC Corporation
1735 Market Street
Philadelphia, PA 19103
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)
Medical Emergencies:
1 800 / 331-3148 (PROSAR - U.S.A. & Canada)
1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)


| | |
|--|-------------|
| Acute toxicity - Oral | Category 4 |
| Acute toxicity - Inhalation (Dusts/Mists) | Category 3 |
| Carcinogenicity | Category 1A |
| Specific target organ toxicity (single exposure) | Category 1 |
| Specific target organ toxicity (repeated exposure) | Category 1 |

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements
 H302 - Harmful if swallowed
 H331 - Toxic if inhaled
 H350 - May cause cancer
 H370 - Causes damage to organs
 H372 - Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

- P202 - Do not handle until all safety precautions have been read and understood
- P260 - Do not breathe dust/fume/gas/mist/vapors/spray
- P264 - Wash face, hands and any exposed skin thoroughly after handling
- P270 - Do not eat, drink or smoke when using this product
- P281 - Use personal protective equipment as required

Precautionary Statements - Response

- P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor
- P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P311 - Call a POISON CENTER or doctor
- P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell
- P330 - Rinse mouth

Precautionary Statements - Storage

- P405 - Store locked up
- P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

- P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects
 May be harmful in contact with skin

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family Pyrethroid Pesticide, Neonicotinoid.

| Chemical name | CAS-No | Weight % |
|---------------|-------------|----------|
| Bifenthrin | 82657-04-3 | 27.3 |
| Acetamiprid | 135410-20-7 | 22.7 |

| | | |
|----------------------------|-------------|-------|
| Synthetic amorphous silica | 112926-00-8 | 30-40 |
| crystalline silica, quartz | 14808-60-7 | 0.1-1 |

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

| | |
|---|---|
| Eye Contact | Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. |
| Skin Contact | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice. |
| Inhalation | Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. |
| Ingestion | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | None known. |
| Indication of immediate medical attention and special treatment needed, if necessary | Treat symptomatically. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided. |

5. FIRE-FIGHTING MEASURES

| | |
|--|---|
| Suitable Extinguishing Media | Carbon dioxide (CO ₂). Dry chemical, Foam. |
| Specific Hazards Arising from the Chemical | Powdered material may form explosive dust-air mixtures. |
| Explosion data | |
| Sensitivity to Mechanical Impact | Not sensitive. |
| Sensitivity to Static Discharge | Not sensitive. |
| Protective equipment and precautions for firefighters | As in any fire, wear self-contained breathing apparatus and full protective gear. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|----------------------------------|---|
| Personal Precautions | Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8. |
| Other | For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above. |
| Environmental Precautions | Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains. |
| Methods for Containment | Use a wet sweeping compound or water to prevent dust formation. |
| Methods for cleaning up | Sweep up and shovel into suitable containers for disposal. Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. |

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.

Incompatible products Strong oxidizing agents. Strong acids. Strong bases. Strong oxidizing agents, Strong acids, Strong bases.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH | Mexico |
|---|--|----------------------------|---|-----------------------------------|
| Synthetic amorphous silica 112926-00-8 | - | - | - | Mexico: TWA 10 mg/m ³ |
| crystalline silica, quartz 14808-60-7 | TWA: 0.025 mg/m ³ | See note | IDLH: 50 mg/m ³ TWA: 0.05 mg/m ³ | Mexico: TWA 0.1 mg/m ³ |
| Chemical name | British Columbia | Quebec | Ontario TWAEV | Alberta |
| Synthetic amorphous silica 112926-00-8 | TWA: 4 mg/m ³ TWA: 1.5 mg/m ³ | TWA: 6 mg/m ³ | TWA: 10 mg/m ³ | - |
| crystalline silica, quartz 14808-60-7 | TWA: 0.025 mg/m ³ | TWA: 0.1 mg/m ³ | TWA: 0.10 mg/m ³ | TWA: 0.025 mg/m ³ |

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance White, Powder
Physical State Dry powder

| | |
|-------------------------------------|--------------------------|
| Color | White |
| Odor | Faint hydrocarbon |
| Odor threshold | No information available |
| pH | 6.5-7.5 |
| Melting point/freezing point | Not applicable |
| Boiling Point/Range | No information available |
| Flash point | Not applicable |
| Evaporation Rate | No information available |
| Flammability (solid, gas) | No information available |
| Flammability Limit in Air | |
| Upper flammability limit: | No information available |
| Lower flammability limit: | No information available |
| Vapor pressure | No information available |
| Vapor density | No information available |
| Density | 9.6 - 13.4 lb/cu ft |
| Specific gravity | No information available |
| Water solubility | No information available |
| Solubility in other solvents | No information available |
| Partition coefficient | No information available |
| Autoignition temperature | No information available |
| Decomposition temperature | No information available |
| Viscosity, kinematic | No information available |
| Viscosity, dynamic | No information available |
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Molecular weight | No information available |
| Bulk density | No information available |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Reactivity | Not applicable |
| Chemical Stability | Stable under recommended storage conditions. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | Heat, flames and sparks. |
| Incompatible materials | Strong oxidizing agents. Strong acids. Strong bases. |
| Hazardous Decomposition Products | Carbon oxides (COx), Hydrogen chloride, Hydrogen fluoride. |

11. TOXICOLOGICAL INFORMATION

Product Information

| | |
|--|--|
| LD50 Oral | > 550 mg/kg (rat) |
| LD50 Dermal | > 2000 mg/kg (rabbit) |
| LC50 Inhalation | > 0.51 mg/L 4 hr (rat) - Maximum attainable concentration (zero mortality) |
| Serious eye damage/eye irritation | Moderately irritating to eyes. |
| Skin corrosion/irritation | Non-irritating. |
| Sensitization | Non-sensitizing. |

Information on toxicological effects

Symptoms Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including convulsions, tremors and bloody nasal discharge.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Bifenthrin: Long-term exposure caused neurotoxicity (tremors and impaired gait) in the early exposure in animal studies, but tremors disappeared with continued exposure.

Acetamiprid: Prolonged exposure in animal studies caused nonspecific toxicity observed as decreases in body weight and food consumption.

Mutagenicity Bifenthrin, Acetamiprid: Not genotoxic in laboratory studies.

Carcinogenicity Bifenthrin: Weak treatment-related response for liver adenocarcinomas and benign bladder tumors (lesion) in male mice.

Acetamiprid: No evidence of carcinogenicity from animal studies.

Neurological effects Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive salivation) following acute or subchronic exposure. Tremors disappeared with continued exposure.

Acetamiprid: Caused clinical signs of neurotoxicity (decreased locomotor activity, tremors) in animal studies.

Reproductive toxicity Bifenthrin: No toxicity to reproduction in animal studies.

Acetamiprid: Reductions in pup weight, litter size, viability and weaning indices; delay in sexual maturity endpoints.

Developmental toxicity Bifenthrin, Acetamiprid: Not teratogenic in animal studies.

STOT - single exposure Causes damage to organs. See listed target organs below.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. See listed target organs below.

Target organ effects Bifenthrin: Central Nervous System.

Acetamiprid: No specific target organ toxicity; the liver effects were considered an adaptive response to chemicals rather than frank toxicity.

Neurological effects Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive salivation) following acute or subchronic exposure. Tremors disappeared with continued exposure.

Acetamiprid: Caused clinical signs of neurotoxicity (decreased locomotor activity, tremors) in animal studies.

Aspiration hazard No information available.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|---|-------|---------|-------|------|
| Synthetic amorphous silica 112926-00-8 | | Group 3 | | |
| crystalline silica, quartz 14808-60-7 | A2 | Group 1 | Known | X |

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Bifenthrin (82657-04-3) | | | | |
|--------------------------------|-----------|-----------|--------|-------|
| Active Ingredient(s) | Duration | Species | Value | Units |
| Bifenthrin | 96 h LC50 | Fish | 0.1 | µg/L |
| | 72 h EC50 | Algae | 0.822 | mg/L |
| | 48 h EC50 | Crustacea | 0.11 | µg/L |
| | 21 d NOEC | Fish | 0.012 | µg/L |
| | 21 d NOEC | Crustacea | 0.0013 | µg/L |

| Acetamiprid (135410-20-7) | | | | |
|----------------------------------|-----------|-----------|-------|-------|
| Active Ingredient(s) | Duration | Species | Value | Units |
| Acetamiprid | 72 h EC50 | Algae | >98.3 | mg/L |
| | 96 h LC50 | Fish | >100 | mg/L |
| | 48 h LC50 | Crustacea | 49.8 | mg/L |
| | 21 d NOEC | Fish | 19.2 | mg/L |

| | | | | |
|--|-----------|-----------|---|------|
| | 21 d NOEC | Crustacea | 5 | mg/L |
|--|-----------|-----------|---|------|

| | |
|--------------------------------------|--|
| Persistence and degradability | Bifenthrin: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable. Acetamiprid: Non-persistent. Does not readily hydrolyze. Not readily biodegradable. |
| Bioaccumulation | Bifenthrin: The substance has a potential for bioconcentration. Acetamiprid: The substance does not have a potential for bioconcentration. |
| Mobility | Bifenthrin: Immobile. Not expected to reach groundwater. Acetamiprid: Moderately mobile. Has some potential to reach groundwater. |

13. DISPOSAL CONSIDERATIONS

| | |
|-------------------------------|--|
| Waste disposal methods | Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. |
| Contaminated Packaging | Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions. Do not re-use empty containers. |

14. TRANSPORT INFORMATION

DOT This material is not a hazardous material as defined by U.S. Department of Transportation at 49 CFR Parts 100 through 185.

TDG Classification below is only applicable when shipped by vessel and is not applicable when shipped by road or rail only.

| | |
|-----------------------------|---|
| UN/ID no | UN3077 |
| Proper Shipping Name | Environmentally hazardous substance, solid, n.o.s. |
| Hazard class | 9 |
| Packing Group | III |
| Marine Pollutant | Bifenthrin. |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (Bifenthrin), 9, PGIII, Marine Pollutant |

ICAO/IATA

| | |
|-----------------------------|---|
| UN/ID no | UN3077 |
| Proper Shipping Name | Environmentally hazardous substance, solid, n.o.s. |
| Hazard class | 9 |
| Packing Group | III |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (Bifenthrin), 9, PGIII |

IMDG/IMO

| | |
|-----------------------------|---|
| UN/ID no | UN3077 |
| Proper Shipping Name | Environmentally hazardous substance, solid, n.o.s. |
| Hazard class | 9 |
| Packing Group | III |
| EmS No. | F-A, S-F |
| Marine Pollutant | Bifenthrin |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (Bifenthrin), 9, PGIII, Marine Pollutant |

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical name | CAS-No | Weight % | SARA 313 - Threshold Values % |
|-------------------------|------------|----------|-------------------------------|
| Bifenthrin - 82657-04-3 | 82657-04-3 | 27.3 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|-----|
| Acute health hazard | Yes |
| Chronic health hazard | Yes |
| Fire hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

*Harmful if swallowed, inhaled or absorbed through skin.
 This pesticide is extremely toxic to wildlife, fish and aquatic invertebrates.*

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

| Chemical name | California Prop. 65 |
|---|---------------------|
| crystalline silica, quartz - 14808-60-7 | Carcinogen |
| Formaldehyde - 50-00-0 | Carcinogen |

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| Bifenthrin 82657-04-3 | X | | |
| Synthetic amorphous silica 112926-00-8 | X | X | X |
| crystalline silica, quartz 14808-60-7 | X | X | X |

International Inventories

| Component | TSCA (United States) | DSL (Canada) | EINECS/ELI NCS (Europe) | ENCS (Japan) | China (IECSC) | KECL (Korea) | PICCS (Philippines) | AICS (Australia) |
|-----------------------------------|----------------------|--------------|-------------------------|--------------|---------------|--------------|---------------------|------------------|
| Bifenthrin 82657-04-3 (27.3) | | | | X | X | X | | |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Acetamiprid 135410-20-7 (22.7) | | | | | X | X | | |
| Synthetic amorphous silica 112926-00-8 (30-40) | | X | | X | X | X | X | X |
| crystalline silica, quartz 14808-60-7 (0.1-1) | X | X | X | X | X | X | X | X |

Mexico - Grade Moderate risk, Grade 2

WHMIS Hazard Class D2A - Very toxic materials



16. OTHER INFORMATION

| | | | | |
|------|-------------------|----------------|-------------------|-----------------------|
| NFPA | Health Hazards 2 | Flammability 1 | Instability 0 | Special Hazards - |
| HMIS | Health Hazards 2* | Flammability 1 | Physical hazard 0 | Personal Protection X |

*Indicates a chronic health hazard.

Revision date: 2015-04-10
 Revision note: Format Change

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2015 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet