

DuPont[™] Krovar[®] I DF Herbicide

Version 2.4

Revision Date 01/19/2012 Ref. 130000023993

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DuPont[™] Krovar[®] I DF Herbicide

Tradename/Synonym : DPX-M2574

B10048033

Bromacil: [5-Bromo-3-sec-butyl-6-methyluracil] Diuron: [3-(3,4-Dichlorophenyl)-1,1-dimethylurea]

MSDS Number : 130000023993

Product Use : Herbicide

Manufacturer : DuPont

1007 Market Street Wilmington, DE 19898

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000) Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)

Transport Emergency : CHEMTREC: 1-800-424-9300 (outside the U.S. 1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Caution

Harmful if swallowed or absorbed through the skin . Causes moderate eye irritation. Avoid contact with skin, eyes and clothing.

Potential Health Effects

This section includes potential acute adverse effects which could occur if this material is not used according to the label.

Skin : May cause: slight irritation, Discomfort.

Eyes : May cause: Irritation with discomfort, pain, redness, or visual impairment.

Ingestion

1/12



DuPont[™] Krovar[®] I DF Herbicide

Version 2.4

Revision Date 01/19/2012 Ref. 130000023993

Diuron : May cause: Abnormal decrease in number of red blood cells (anaemia)

which could produce tiredness, rapid heartbeat, dizziness, pale skin, leg

cramps, shortness of breath

Repeated exposure

Diuron : Adverse effects from repeated exposure may include: Bladder damage

altered blood chemistry

Quartz : DuPont has classified this material as a known human carcinogen.

Target Organs

Diuron : Blood Urinary system Bladder

Carcinogenicity

Material IARC NTP OSHA

Quartz 1 X

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Bromacil	314-40-9	40 %
Diuron	330-54-1	40 %
Other Ingredients		20 %

Present as an impurity in the clay component of this product:

1 recent de dir imparty in the eldy compenent of the product.				
Quartz		<1 %		

2/12



DuPont[™] Krovar[®] I DF Herbicide

Version 2.4

Revision Date 01/19/2012 Ref. 130000023993

SECTION 4. FIRST AID MEASURES

Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with

plenty of water for 15-20 minutes. Call a poison control center or doctor for

treatment advice.

Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Inhalation : Move to fresh air. If person is not breathing, call 911 or an ambulance, then

give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison

control center or doctor for treatment advice.

Ingestion : Call a physician or poison control centre immediately. Have person sip a

glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth

to an unconscious person.

General advice : Have the product container or label with you when calling a poison control

center or doctor, or going for treatment.

For medical emergencies involving this product, call toll free 1-800-441-3637.

See Label for Additional Precautions and Directions for Use.

SECTION 5. FIREFIGHTING MEASURES

Flammable Properties

Flash point : no data available

Ignition temperature : 420 °C (788 °F)

Lower explosion limit : 0.135 g/l

Fire and Explosion Hazard : Dust may form explosive mixture in air.

Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet, (contamination risk)

3 / 12



DuPont[™] Krovar[®] I DF Herbicide

Version 2.4

Revision Date 01/19/2012 Ref. 130000023993

Firefighting Instructions : In the event of fire, wear self-contained breathing apparatus. Use personal

protective equipment.

Prevent fire extinguishing water from contaminating surface water or the ground water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and

contaminated fire extinguishing water must be disposed of in accordance with

local regulations.

(on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool

containers / tanks with water spray.

Control Runoff.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Spill Cleanup : Shovel or sweep up. Scoop into bags or boxes with plastic or aluminium

shovel. Never return to container for reuse. If spill area is on ground near valuable plants or trees, remove top 2 inches of soil after initial cleanup.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas.

Follow applicable Federal, State/Provincial and Local laws/regulations.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating,

drinking, chewing gum, using tobacco, or using the toilet. Remove

clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon

as possible, wash thoroughly and change into clean clothing.

Storage : Do not contaminate water, other pesticides, fertilizer, food or feed in storage.

Store in original container. Store in a cool, dry place. Keep out of the reach of

children.

4/12



DuPont[™] Krovar[®] I DF Herbicide

Version 2.4

Revision Date 01/19/2012 Ref. 130000023993

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls : Ensure adequate ventilation. When handlers use closed systems, enclosed

cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS. Refer to the product label for additional Engineering Controls.

Personal protective equipment

Skin and body protection : Pilots, flaggers and groundboom applicators must wear:

Long sleeved shirt and long pants

Shoes plus socks

Groundboom applicators must wear:

Chemical resistant gloves made of any waterproof material Mixers, loaders, applicators and other handlers must wear:

Long sleeved shirt and long pants

Shoes plus socks

Chemical resistant gloves made of any waterproof material

Polyvinylchloride

A NIOSH approved dust/mist filtering respirator with any N, R, P, or HE filter

or with approval number prefix TC-21C.

Chemical resistant apron when mixing, loading, or cleaning equipment or

spills.

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such

instructions for washables exist, use detergent and hot water. Keep and

wash PPE separately from other laundry.

Exposure Guidelines
Exposure Limit Values

Bromacil

PEL: (OSHA) 1 ppm 10 mg/m3 8 hr. TWA

TLV (ACGIH) 10 mg/m3 TWA

AEL * (DUPONT) 10 mg/m3 8 & 12 hr. TWA

Diuron

TLV (ACGIH) 10 mg/m3 TWA

5/12



DuPont[™] Krovar[®] I DF Herbicide

Version 2.4

Revision Date 01/19/2012 Ref. 130000023993

AEL * (DUPONT) 1 mg/m3 8 & 12 hr. TWA Total dust.

Quartz

PEL: (OSHA) 2.4 millions of particles per cubic foot of air TWA

Respirable.

Remarks The exposure limit is calculated from the

equation, 250/(%SiO2+5), using a value of 100% SiO2. Lower percentages of SiO2 will yield higher exposure limits.

PEL: (OSHA) 0.1 mg/m3 TWA Respirable.

Remarks The exposure limit is calculated from the

equation, 10/(%SiO2+2), using a value of 100% SiO2. Lower percentages of SiO2

will yield higher exposure limits.

PEL: (OSHA) 0.3 mg/m3 TWA Total dust.

Remarks The exposure limit is calculated from the

equation, 30/(%SiO2+2), using a value of 100% SiO2. Lower values of % SiO2 will

give higher exposure limits.

TLV (ACGIH) 0.025 mg/m3 TWA Respirable fraction.

AEL * (DUPONT) 0.02 mg/m3 8 hr. TWA Respirable dust.

AEL * (DUPONT) 0.01 mg/m3 12 hr. TWA Respirable dust.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : solid, granules

Color : brown Odor : none

Bulk density : 0.51 - 0.64 g/ml

6 / 12

^{*} AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.



DuPont[™] Krovar[®] I DF Herbicide

Version 2.4

Revision Date 01/19/2012 Ref. 130000023993

Water solubility : dispersible

SECTION 10. STABILITY AND REACTIVITY

Stability : Stable at normal temperatures and storage conditions.

Incompatibility : None reasonably foreseeable.

Hazardous reactions : Hazardous polymerisation does not occur.

SECTION 11. TOXICOLOGICAL INFORMATION

 $\mathsf{DuPont}^{^{\mathsf{TM}}}\,\mathsf{Krovar}^{^{\mathsf{B}}}\,\mathsf{I}\,\mathsf{DF}\,\mathsf{Herbicide}$

Inhalation 4 h LC50 : > 5.2 mg/l, rat

Dermal LD50 : > 2,000 mg/kg, rabbit

Oral LD50 : 2,300 mg/kg , rat

Skin irritation : slight irritation, rabbit

Eye irritation : slight irritation, rabbit

Sensitisation : Animal test did not cause sensitization by skin contact., guinea pig

Bromacil

Repeated dose toxicity

The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

Oral rat

Liver effects, Organ weight changes, Thyroid effects, Reduced body

weight gain

Inhalation rat

7 / 12



DuPont[™] Krovar[®] I DF Herbicide

Version 2.4

Revision Date 01/19/2012 Ref. 130000023993

Increased liver weight, altered blood chemistry

Carcinogenicity : The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

An increased incidence of tumours was observed in laboratory

animals.

Mutagenicity : Did not cause genetic damage in cultured bacterial cells.

Genetic damage in cultured mammalian cells was observed in some

laboratory tests but not in others.

Did not cause genetic damage in animals.

Reproductive toxicity : Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels

equal to or above those causing maternal toxicity.

Diuron

Repeated dose toxicity

The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

Oral rat

Red blood cell destruction causing abnormal decrease in number of red blood cells (anaemia), Spleen effects, bone marrow changes, Kidney effects, Bladder effects, Reduced body weight gain

Oral dog

Red blood cell destruction causing abnormal decrease in number of red blood cells (anaemia), Spleen effects, bone marrow changes,

Reduced body weight gain

Inhalation rat

Red blood cell destruction causing abnormal decrease in number of

red blood cells (anaemia), Spleen effects

8/12



DuPont[™] Krovar[®] I DF Herbicide

Version 2.4

Revision Date 01/19/2012 Ref. 130000023993

Carcinogenicity : The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

An increased incidence of tumours was observed in laboratory

animals.

Mutagenicity : Overall weight of evidence indicates that the substance is not

mutagenic.

Reproductive toxicity : Animal testing did not show any effects on fertility.

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels

equal to or above those causing maternal toxicity.

Quartz

Repeated dose toxicity : Inhalation

Fluid retention in lungs (pulmonary oedema), lung effects,

Inflammation, Chronic lung disease, Fibrosis

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity

Bromacil

96 h LC50 : Lepomis macrochirus (Bluegill sunfish) 127 mg/l

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 36 mg/l

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) 0.017 mg/l

NOEC : Algae 0.001 mg/l

48 h EC50 : Daphnia magna (Water flea) 119 mg/l

Diuron

96 h LC50 : Oncorhynchus mykiss (rainbow trout) 17.4 mg/l

72 h EC50 : Algae 0.018 mg/l

9/12



DuPont[™] Krovar[®] I DF Herbicide

Version 2.4

Revision Date 01/19/2012 Ref. 130000023993

72 h NOEC : Algae 0.01 mg/l

48 h EC50 : Daphnia magna (Water flea) 1.4 mg/l

Additional ecological information : Environmental Hazards: Do not apply directly to water, or to areas

where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate. See product label for

additional application instructions relating to environmental

precautions.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the

use of this product must be disposed of on site or at an approved waste

disposal facility.

Container Disposal : Refer to the product label for instructions.

In the event of a major spill, fire or other emergency, call 1-800-441-3637 day

or night.

SECTION 14. TRANSPORT INFORMATION

IMDG

IATA C UN number : 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Diuron, Bromacil)

Class : 9
Packing group : III
Labelling No. : 9MI
UN number : 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S. (Diuron, Bromacil)

Class : 9
Packing group : III
Labelling No. : 9

10/12



DuPont[™] Krovar[®] I DF Herbicide

Version 2.4

Revision Date 01/19/2012 Ref. 130000023993

Marine pollutant : yes (Diuron, Bromacil)

Not regulated by DOT in single packages containing less than 100 pounds Diuron.

SECTION 15. REGULATORY INFORMATION

SARA 313 Regulated

Chemical(s)

: Bromacil, Diuron

Title III hazard classification

: Acute Health Hazard: Yes Chronic Health Hazard: Yes

Fire: No

Reactivity/Physical hazard: No

Pressure: No

CERCLA Reportable

Quantity

: 250 lbs

Based on the percentage composition of this chemical in the product.:

Diuron

EPA Reg. No. : 352-505

In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

California Prop. 65 : WARNING! This product contains a chemical known to the State of California

to cause cancer. Diuron, Quartz, Titanium dioxide

PA Right to Know

Regulated Chemical(s)

: Substances on the Pennsylvania Hazardous Substances List present at

a concentration of 1% or more (0.01% for Special Hazardous

Substances): Bromacil, Diuron, Kaolin, Sodium sulphate, Silica gel,

precipitated, crystalline-free

SECTION 16. OTHER INFORMATION

11/12



DuPont[™] Krovar[®] I DF Herbicide

Version 2.4

Revision Date 01/19/2012 Ref. 130000023993

	NFPA		HMIS
Health	:	1	1
Flammability	:	1	1
Reactivity/Physical hazard	:	0	0

Trademark of E.I. du Pont de Nemours and Company.

B DuPont's registered trademark

: DuPont Crop Protection, Wilmington, DE, 19898, Phone: 1-888-638-7668 Contact person

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.

12 / 12