ACCEPTED FOR REGISTRATION

AUG 21 2014

New York State Department of Environmental Conservation Division of Materials Management Pesticide Product Registration

APPLICATION INSTRUCTIONS

Doc ID: 539655

SHAKE WELL before use. Cover aquariums and fish bowls, and remove birds from area prior to application. Apply at the rate of 20 oz/2,625 ft². (10 oz/1,300 ft²). Carpeted areas may be vacuumed before application and after treated carpet has dried. Treat infested areas or areas which could be infested, such as carpets, rugs, uphol-stered furniture, pet beds and pet resting areas. Hold can at arms length and direct spray toward the area to be treated. Use a sweeping motion to apply product and back away from treated area while holding the can 36" from the surface being treated. An area of 80 to 100 ft² can be treated in approx. 10 sec. When treating upholstered furniture, treat under cushions and areas where flea development occurs. **DO NOT** treat areas of prolonged human contact.

DO NOT treat pets, including cats and dogs, with this product.

NOTICE: This product has been tested on several types of carpet, fabric and other household furnishings without adverse affects. In a few instances, waxed surfaces have been whitened or dulled. Holding the can 36" from the target surface will normally prevent any whitening from occurring. Because of the wide variety of floor types and finishes, treat a small, inconspicuous area before treating the entire area. Avoid contact with antique finishes.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE: Store in a cool, dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: DO NOT puncture or incinerate! If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.



CONDITIONS OF SALE AND WARRANTY

Follow the Directions for Use. It is impossible to eliminate all risks inherently associated with use of this product, and there fore all such risk shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. BASF and the Seller offer this product, and the Buyer accepts it, subject to these Conditions of Sale and Warranty which may be varied only by agreement in writing signed by a duly authorized representative of BASF. PCS813 PCS813

PT and Ultracide are registered trademarks of BASF. Nylar and MGK are registered trademarks of McLaughlin Gormley King Company.

© 2013 BASF Corporation All rights reserved. 81040297 30572505 NVA 2013-05-424-0327 Based on: NVA 2013-04-424-0192 Supersedes: 130808-80



PT[®] Ultracide Pressurized Flea Insecticide

Contains Nylar* Insect Growth Regulator

KILLS:

Active flea infestations and prevents infestations from developing.
Prevents re-infestation of fleas for 7 months.

Ticks

FOR USE IN: Apartments, Automobiles, Homes, Hospitals, Hotels, Kennels, Motels, Offices, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks), Warehouses, Utilities, Veterinary Clinics and Other Commercial and Industrial Buildings

ACTIVE INGREDIENTS:

Pyriproxyfen:	0.10%
Pyrethrins, a botanical insecticide:	0.05%
n-Octyl bicycloheptene dicarboximide [†] :	0.40%
Permethrin*:	0.40%
OTHER INGREDIENTS:	99.05%
TOTAL:	0.00%
[†] MGK* 264, Insecticide Synergist	
* Cia trans ratio, May EE0(, a sig and Min 450(, trans)	

Cis-trans ratio: Max. 55% ± cis and Min. 45% ± trans

EPA Reg. No. 499-404

EPA Est. No. 7969-MO-1

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

FINJTAID		
	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 min. Call a poison control center or doctor for treatment advice. 	

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-832-HELP 24hr/day, 7 days/week.

> See side panels for First Aid, Precautionary Statements, Directions for Use and Storage and Disposal.

NET WEIGHT: 1 lb, 4 oz (20 oz)

BASF Corporation 26 Davis Drive Research Triangle Park, NC 27709



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE): Applicators and other handlers must wear the following: Long-sleeve shirt, long pants, socks and shoes, and chemical resistant gloves (such as any waterproof material, Selection Category A).

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. **DO NOT** reuse them.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE as soon as practical after handling this product Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. DO NOT use or store near heat or open flame. **DO NOT** puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

USE RESTRICTIONS

- · Apply this product only as specified on this label.
- This product is labeled for indoor use only in the structures listed under For Use In:.
- Only protected applicators may be in the treatment area during application.
- DO NOT apply this product in a way that will contact adults, children or pets. Remove pets, birds and cover fish aquariums before spraying.
- DO NOT use this product on pets.
- DO NOT use treated article until spray has dried.
- Remove or cover exposed food and drinking water, in the treatment area, before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces in the treatment area, or wash them before use.
- DO NOT apply directly into sewers or drains or to any area where drainage to storm sewers, water bodies, or aquatic habitat can occur. DO NOT allow the product to enter any drain during or after application.
- D0 NOT apply this product in hospital rooms while occupied or in any rooms occupied by the elderly or infirm. Remove patients from room prior to treatment and thoroughly ventilate (2 hr) after application. D0 NOT return patients to room until after ventilation.
- DO NOT apply to classrooms when in use.
- DO NOT apply more than 1 time/day

PRODUCT INFORMATION

This product kills fleas and prevents flea infestations for a full season. Adult fleas may be seen in treated areas when brought in on infested animals or when adults emerge from pupal cases; however, a population will not develop in the treated areas.

In transportation equipment, certain plastics may be whitened or dulled. Apply only to carpets and cloth upholstered areas, or test an inconspicuous area before applying.