

Baygon 2% Bait

Specimen Label

Baygon[®] 2% Bait

Insecticide

For Pest Control Operators and Commercial Use Only.

For effective control of cockroaches, crickets, and ants.

ACTIVE INGREDIENT: 2-(1-Methylethoxy)phenol methylcarbamate 2%
INERT INGREDIENTS: 98%
100%

EPA Reg. No. 3125-121

Four 5-Pound Jugs Per Case.

STOP - Read The Label Before Use
KEEP OUT OF REACH OF CHILDREN

AVISO

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

CAUTION

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed or absorbed through the skin. Avoid prolonged skin contact. Wear protective gloves when applying bait. Do not contaminate feed or food. Wash thoroughly after using.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

STATEMENTS OF PRACTICAL TREATMENT

In case of poisoning call a physician immediately. Have patient lie down and keep quiet. **If swallowed:** Vomiting should be induced. Administer water freely and induce vomiting by giving one dose (½ oz. or 15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by

mouth to an unconscious person. Professional medical assistance should be secured immediately. **If on skin:** Remove contaminated clothing and wash skin immediately with soap and warm water. **If in eyes:** Wash with plenty of flowing water.

To Physician: ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams or ponds. Do not apply where runoff is likely to

occur. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read these entire Directions and Conditions of Sale before using BAYGON 2% Bait.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS UNDER CONDITIONS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. BAYER OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF BAYER AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

BAYGON 2% Bait insecticide, a ready-to-use product, is very effective for the control of ants (except California), crickets and the following cockroaches listed below. It gives rapid kill of these insects including those resistant to certain chlorinated hydrocarbon and phosphate insecticides. Crickets and roaches die quickly after feeding on the bait. Apply as needed to control the target pests.

Do not formulate this product into other end use products.

Cockroaches: American, Brown, Brown banded, German, and Oriental roaches.

Crickets

Ants (including carpenter ants) (except California)

For use in Homes, Apartment Buildings, Stores, Restaurants (non-food areas), Warehouses, Government Offices, Public Buildings and Institutions.

Apply bait lightly to floors near baseboards, in closets, under sinks and refrigerators, around and inside garbage cans, and in other areas where insects are found but

which are inaccessible to children such as cracks and crevices. (Do not make crack and crevice applications in California.) Do not apply to animals. Do not treat portions of buildings where animals can feed on bait. Use approximately 4 ounces of bait per 1,000 sq ft of space and scatter lightly so that bait is barely visible. Repeat as necessary. Keep out of reach of children.

For Use By Pest Control Operators in Restaurants (food areas), Poultry Packing, Red Meat Packing and Food Processing Plants, including plants that are Federally Inspected, as well as food processing areas of stores, warehouses, Government Offices, Public Buildings and Institutions.

Apply bait on paper, pasteboard, or other material that will permit removal. Locate these bait stations on window sills, on floor near walls, in storage areas and other areas where insects have been observed. Maintain strict account of location and number of bait stations. Do not apply bait in edible product areas until operations have ceased for the day. Remove all bait stations from the edible products areas before resuming operations.

Before applications are to be made in food processing plants that are inspected under the Meat and Poultry Inspection Program of USDA, a blue dye must be mixed as follows with the bait before entering the plant and setting out the bait stations:

- (1) To each 5 lb container of bait add 6 teaspoonfuls of a blue food color dye (FD&C Blue No. 1).
- (2) Thoroughly mix by shaking or mechanical means until the dye is uniformly distributed throughout the bait.

Do not store BAYGON 2% Bait in or around such processing plants.

For Use in Research Facilities: The use of BAYGON in research animal quarters for pest control will **not** induce changes in liver microsomal enzyme activity in these animals. BAYGON 2% Bait should not be applied directly on animals nor applied where animals can feed on the bait.

For Outdoor Use around patios, driveways, sidewalks, and foundations only. Apply bait evenly in a band 2 to 3 feet wide at the rate of 4 oz per 1000 sq ft around foundations, patios, driveways, or sidewalks, taking care to treat any cracks or crevices. For maximum effectiveness treat beneath concrete drain splashpans.

RESTRICTIONS

Do not apply to floors or other surfaces likely to be contacted by children or pets.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Material that cannot be used as directed should be

disposed of as directed below. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Kansas City Emergency Response Telephone No. is 800-414-0244 or contact Chemtrec at 800-424-9300.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty container. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Date of Draft: 12/15/96

Supersedes Draft Dated: 12/14/94

Reason to Issue: To revise emergency number.

Bayer Corporation
Garden & Professional Care
Box 4913
Kansas City, MO 64120-0013
(800) 842-8020
<http://usagri.bayer.com>
BG 9803 GPC Printed in U.S.A.

IMPORTANT

Before using this product, read and carefully observe directions, cautionary statements and other information appearing on the product packaging label. This product is sold subject to the Conditions of Sale set forth on the container label.

