



# KNOX OUT

**Active Ingredient:** 240g/L Diazinon (MICROENCAPSULATED)  
(AN ANTICHOLINESTERASE COMPOUND)

**Poison Schedule:** S5

**Resistant Grouping:** 1B

**Dangerous Goods Class:** 9

**Registered for use In:** See Below.

**Available In:** 5L (4 x 5L per carton).

## ***DIRECTIONS FOR USE***

SITUATION	PEST	STATE	RATE	CRITICAL COMMENTS
Domestic and industrial buildings including homes, manufacturing plants, warehouses, schools, restaurants, hotels, motels, food processing plants and on vessels, aircraft, boats, ships, railway cars, buses, trucks and trailers	Cockroaches	All states & NT	210-420ml in 10L water	Apply as a fine spray or by paint brush to drawers, shelves, around water pipes, storage areas, closets, behind and under cabinets, refrigerators, sinks, stoves and in similar areas where these insects hide.
	Silverfish	Qld, NSW, WA, Tas, NT only		
	Ants	All states		Apply as a fine spray to baseboards, window frames, wall voids, crawl spaces, cracks and crevices and similar hiding or habitation areas. Apply to trails around doors and windows and other areas where these pests may crawl or enter the premises. Repeat application as necessary.



## ***DIRECTIONS FOR USE***

<b>SITUATION</b>	<b>PEST</b>	<b>STATE</b>	<b>RATE</b>	<b>CRITICAL COMMENTS</b>
Domestic and industrial buildings including homes, manufacturing plants, warehouses, schools, restaurants, hotels, motels, food processing plants and on vessels, aircraft, boats, ships, railway cars, buses, trucks and trailers	Fleas	All states & NT	420ml in 10L water	Thoroughly apply as a fine spray to pet beds and resting quarters, adjacent cracks and crevices, baseboards, carpets and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Applications to most surfaces should be as light as possible, approximately 1.25 litres per 100m <sup>2</sup> . It may be necessary to use a higher volume of spray approximately 2-2.5 litres per 100m <sup>2</sup> , on long dense shag carpets. Old bedding of animals should be replaced with clean and fresh bedding after treatment. When treating premises for fleas, it is recommended that pets living in these premises also be treated with a suitable flea preparation specifically registered for use on pets. Do not spray directly on animals.
	Ticks	Qld, Tas, SA, WA, ACT, NT only.		
	Flies	All states & NT	420ml in 10L water	
Building Perimeter Treatment	Cockroaches ants, crickets earwigs, slaters.	All states & NT	420ml in 10L water and spray over 40m <sup>2</sup> ground area	Spray 1m up foundations and walls and 2-3m out from perimeter of building. Do not spray flowers or flowering weeds.

**NOT TO BE USED FOR ANY OTHER PURPOSE OR IN ANY OTHER MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**



### **General Instructions**

KNOX-OUT can be sprayed on any surface which will not be damaged or stained by water. Under conditions of proper application, Knox-Out will not leave a visible deposit. However if unevenly applied or sprayed to run-off, a visible deposit may occur on some dark surfaces and may be wiped off with a wet cloth or sponge. Do not allow spray to contact food, food-processing surfaces or utensils. Due to its controlled release nature, Knox-Out gives residual kill of the pests listed in the directions for use table. However, effective knockdown may take up to 24 hours after application.

Thoroughly wash out spray equipment before using Knox-Out. Shake concentrate well before diluting, first add approximately half of the water to the spray tank, then add the required Knox-Out, and finally the rest of the water. Occasionally agitate the sprayer during use to ensure even coverage. Shake or re-agitate sprayer before use if application is interrupted. Do Not use this formulation with oil.

IF SPRAY SCREENS ARE USED THEY SHOULD BE 50 MESH OR LARGER.

Repeat treatments of Knox-Out should be made as needed, but generally will not be necessary more than once every 60 days. Use the low rate for light infestations or six monthly maintenance sprays and the higher rate for heavy infestations or initial clean out.

### **Protection of livestock**

Do not directly spray animals. Dangerous to bees. Do Not spray on any plants in flower.

### **Protection Of Wildlife, Fish, Crustacea And Environment**

Dangerous to fish. Do not contaminate ponds, waterways, irrigation channels or drains with the product or used container.

### **Storage and disposal**

Store in original container tightly closed in a dry well ventilated area, as cool as possible out of direct sunlight. Do not store with fertilizers, insecticides, fungicides and seeds. Protect product from frost. Triple rinse containers before disposal and add rinsings to tank mix or dispose of rinsate in a disposal pit away from plants and their roots and watercourses.

Destroy empty containers by breaking crushing or puncturing them. Dispose of the containers at a local authority land fill that does not burn its refuse. If there is no local authority land fill available in your area, bury the containers at a depth of 500mm or more at a licensed/approved disposal site. Do not burn empty container or product.

### **Safety directions**

Avoid contact with eyes and skin. Do not inhale spray mist. When preparing and using the prepared spray, elbow-length PVC gloves. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves.

### **First Aid**

If poisoning occurs, contact a doctor or Poisons Information Centre.