

Revision date: 2013/12/27 Page: 1/9 Version: 3.0 (30472998/SDS\_CPA\_US/EN)

## 1. Product and Company Identification

Company
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Registrant:

Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis, MO 63122

Substance number: 000000414028 Synonyms: Pyrethrins

#### 2. Hazards Identification

#### **Emergency overview**

CAUTION:

KEEP OUT OF REACH OF CHILDREN.

KEEP OUT OF REACH OF DOMESTIC ANIMALS.

Prolonged or repeated skin contact may cause sensitization or allergic reactions.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

Flammable Liquid

Aerosol container contains flammable gas under pressure.

See Product Label for additional precautionary statements.

State of matter: liquid Colour: yellow, clear Odour: characteristic

#### Potential health effects

#### Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

#### Acute toxicity:

Relatively nontoxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

#### Irritation / corrosion:

Revision date: 2013/12/27 Page: 2/9
Version: 3.0 (30472998/SDS CPA US/EN)

May cause moderate but temporary irritation to the eyes. May cause moderate irritation to the skin.

#### Sensitization:

Caused skin sensitization in animal studies.

### 3. Composition / Information on Ingredients

CAS Number<br/>8003-34-7Content (W/W)<br/>2.0 %Chemical name<br/>Pyrethrins67-64-1Acetone<br/>dimethyl ether<br/>Carbon dioxide, liquid64742-47-8Distillates (petroleum), hydrotreated light

-47-6 Distillates (petroleum), mydrotte

<= 98.0 % Proprietary ingredients

#### 4. First-Aid Measures

#### General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

#### If inhaled:

Remove the affected individual into fresh air and keep the person calm.

#### If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

#### If in eyes

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

#### If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

## 5. Fire-Fighting Measures

Flash point: not determined

Lower explosion limit: 3.4 %(V) (air) Upper explosion limit: 18.0 %(V) (air)

Flammability of Aerosol > 18 in (ASTM D 3065)

Products:

NFPA 30B flammability:

Level 1 Aerosol

#### Suitable extinguishing media:

foam, dry powder, carbon dioxide

### Hazards during fire-fighting:

carbon monoxide, carbon dioxide,

The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure. Risk of explosion at excessive temperatures.

#### Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Revision date: 2013/12/27 Page: 3/9 Version: 3.0 (30472998/SDS\_CPA\_US/EN)

#### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

#### 6. Accidental release measures

#### Personal precautions:

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

### **Environmental precautions:**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

#### Cleanup:

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

## 7. Handling and Storage

#### Handling

#### General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

### Protection against fire and explosion:

Aerosol container contains flammable gas under pressure. The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

#### Storage

#### General advice:

Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

#### Storage incompatibility:

General advice: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

#### Storage stability:

May be kept indefinitely if stored properly. If an expiry date is mentioned on the packaging/label this takes priority over the statements on storage duration in this safety data sheet.

#### Temperature tolerance

Protect from temperatures above: 130 °F Explosive at or above indicated temperature.

Revision date : 2013/12/27 Page: 4/9

Version: 3.0 (30472998/SDS\_CPA\_US/EN)

### 8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

#### Components with occupational exposure limits

Pyrethrins OSHA PEL PEL 5 mg/m3;

ACGIH TLV TWA value 5 mg/m3 ;

Acetone OSHA PEL PEL 1,000 ppm 2,400 mg/m3 ;

ACGIH TLV TWA value 500 ppm; STEL value 750 ppm;

Carbon dioxide, liquid OSHA PEL PEL 5,000 ppm 9,000 mg/m3;

Distillates (petroleum).

hydrotreated light ACGIH TLV TWA value 200 mg/m3 Non-aerosol (total hydrocarbon

vapor);

Application restricted to conditions in which there are

negligible aerosol exposures.

Skin Designation Non-aerosol (total hydrocarbon vapor);

The substance can be absorbed through the skin.

#### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

#### Personal protective equipment

## RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

Revision date: 2013/12/27 Page: 5/9 Version: 3.0 (30472998/SDS\_CPA\_US/EN)

## 9. Physical and Chemical Properties

Form: liquid, aerosol Odour: characteristic Colour: yellow, clear

pH value: approx. 5.3 (10 g/l, approx. 23 °C)
Density: approx. 0.87 g/cm3 (approx. 20 °C)
Vapour density: not determined
Partitioning coefficient n-

octanol/water (log Pow):

Viscosity, dynamic: 1.27 mPa.s (approx. 21 °C) Solubility in water: slightly soluble

## 10. Stability and Reactivity

#### Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

#### Substances to avoid:

No substances known that should be avoided.

#### Hazardous reactions:

The product is chemically stable.

#### **Decomposition products:**

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

### Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

#### Corrosion to metals:

Corrosive effects to metal are not anticipated.

## 11. Toxicological information

### **Acute toxicity**

#### Oral:

Type of value: LD50 Species: rat Value: > 2,000 g/kg No mortality was observed.

#### Inhalation:

Type of value: LC50 Species: rat Value: > 2.06 mg/l

### Dermal:

Type of value: LD50 Species: rabbit Value: > 5,000 mg/kg

#### Irritation / corrosion

Revision date : 2013/12/27 Page: 6/9
Version: 3.0 (30472998/SDS\_CPA\_US/EN)

Skin:

Species: rabbit Result: non-irritant

Eye:

Species: rabbit

Result: Slightly to moderately irritating.

Sensitization:

Species: guinea pig

Result: Caused skin sensitization in animal studies.

**Genetic toxicity** 

Information on: pyrethrum No mutagenic effects reported.

Information on: Acetone

In the majority of studies performed with microorganisms and in mammalian cell culture, a mutagenic effect was not found. A mutagenic effect was also not observed in in vivo tests.

Information on: dimethyl ether

No mutagenic effect was found in various tests with microorganisms and mammalian cell culture. Literature

data.

-----

Carcinogenicity

Information on: pyrethrum

Not Likely to Be Carcinogenic to Humans.

-----

Reproductive toxicity

Information on: pyrethrum

No reproductive toxic effects reported.

Information on: Acetone

As shown in animal studies, the product may cause damage to the testes after repeated high exposures that

cause other toxic effects.
Information on: dimethyl ether

The results of animal studies gave no indication of a fertility impairing effect. Literature data.

-----

**Development:** 

Information on: pyrethrum

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: Acetone

In animal studies the substance did not cause malformations.

Information on: dimethyl ether

In animal studies the substance did not cause malformations. Literature data.

-----

## 12. Ecological Information

**Fish** 

Information on: pyrethrum

Acute: static

Oncorhynchus mykiss/LC50 (96 h): 0.0052 mg/l

Revision date: 2013/12/27 Page: 7/9 Version: 3.0 (30472998/SDS\_CPA\_US/EN)

Lepomis macrochirus/LC50 (96 h): 0.01 mg/l

Information on: Acetone

Acute:

OECD 203; ISO 7346; 84/449/EEC, C.1 Flow through. Pimephales promelas/LC50 (96 h): 6,210 mg/l

The statement of the toxic effect relates to the analytically determined concentration.

Fish test acute static

Oncorhynchus mykiss/LC50 (96 h): 5,540 mg/l

Nominal concentration.

Information on: dimethyl ether

Acute:

other semistatic

Poecilia reticulata/NOEC (96 h): > 4,000 mg/l

The product is highly volatile. Tested in a closed test system.

-----

#### **Aquatic invertebrates**

Information on: pyrethrum

Acute

Daphnia magna/EC50 (48 h): 0.012 mg/l

Daphnia magna/No observed effect concentration (28 d): 0.00086 mg/l

Information on: Acetone

Acute:

Daphnia test acute static

Daphnia pulex/LC50 (48 h): 8,800 mg/l

Nominal concentration.

Daphnia test acute static

Artema salina/LC50 (24 h): 2,100 mg/l

Nominal concentration.

Information on: dimethyl ether

Acute: other static

Daphnia magna/No observed effect concentration (48 h): > 4,000 mg/l

The product is highly volatile. Tested in a closed test system.

-----

## **Aquatic plants**

Information on: Acetone Toxicity to aquatic plants: DIN 38412 Part 9 static

Bacteria/Toxic limit concentration (8 d): 530 mg/l

Nominal concentration.

### 13. Disposal considerations

#### Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

#### Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

Revision date : 2013/12/27 Page: 8/9

Version: 3.0 (30472998/SDS\_CPA\_US/EN)

### 14. Transport Information

Land transport

**USDOT** 

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1

Proper shipping name: AEROSOLS (contains ACETONE/DIMETHYLKETONE,

DIMETHYLETHER)

Sea transport

**IMDG** 

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1
Marine pollutant: NO

Proper shipping name: AEROSOLS (contains ACETONE/DIMETHYLKETONE,

DIMETHYLETHER)

Air transport

IATA/ICAO

Hazard class: 2.1 ID number: UN 1950 Hazard label: 2.1

Proper shipping name: AEROSOLS, FLAMMABLE (contains ACETONE/DIMETHYLKETONE,

DIMETHYLETHER)

**Further information** 

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2020, ORM-D will not apply.

## 15. Regulatory Information

#### **Federal Regulations**

Registration status:

Chemical TSCA, US blocked / not listed
Crop Protection TSCA, US released / exempt

OSHA hazard category: Chronic target organ effects reported; ACGIH TLV established

**EPCRA 311/312 (Hazard categories):** Acute; Fire; Sudden release of pressure

 CERCLA RQ
 CAS Number
 Chemical name

 5000 LBS
 65-85-0; 67-64-1
 Benzoic acid; Acetone

 100 LBS
 115-10-6
 dimethyl ether

 1 LBS
 8003-34-7
 Pyrethrins

Revision date: 2013/12/27 Page: 9/9 Version: 3.0 (30472998/SDS\_CPA\_US/EN)

State regulations

State RTKCAS NumberChemical nameMA, NJ, PA8003-34-7PyrethrinsMA, NJ, PA115-10-6dimethyl etherMA, NJ, PACarbon dioxide, liquid

MA, NJ, PA 64742-47-8 Distillates (petroleum), hydrotreated light

### 16. Other Information

## Refer to product label for EPA registration number.

Recommended use: insecticide

**HMIS III rating** 

Health: 2 Flammability: 1 Physical hazard:

NFPA and HMIS use a numbering scale ranging from 0 to 4 to indicate the degree of hazard. A value of zero means that the substance possesses essentially no hazard; a rating of four indicates extreme danger. Although similar, the two rating systems are intended for different purposes, and use different criteria. The NFPA system was developed to provide an onthe-spot alert to the hazards of a material, and their severity, to emergency responders. The HMIS system was designed to communicate workplace hazard information to employees who handle hazardous chemicals.

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

### SDS Prepared by:

BASF NA Product Regulations msds@basf.com SDS Prepared on: 2013/12/27

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**