

## SAFETY DATA SHEET

## NIBOR-D®

## INSECTICIDE

Health Emergencies: INFOTRAC® (800) 535-5053

## 1. PRODUCT AND COMPANY INFORMATION

**Product Identity:** Nibor-D®**Recommended use of the chemical and restrictions on use:**

Termiticide, Insecticide, and Fungicide Concentrate Powder. Read and understand the entire label before using. Use only according to label directions. It is a violation of Federal law to use this product in a manner inconsistent to label directions.

**Manufacturer:** Nisus Corporation  
100 Nisus Drive  
Rockford, TN 37853

**Telephone:** Phone: (800) 264-0870  
Fax: (865) 577-5825

**Emergency Phone:** 800-535-5053 (INFOTRAC)

**SDS Date of Preparation:** 01/12/16

## 2. HAZARDS IDENTIFICATION

**GHS Classification:**

Health

Reproductive Toxicity  
Category 2**GHS Label Elements:****Signal Word:** Warning!**Statements of Hazard**

H303: May be harmful if swallowed.

H361: Suspected of damaging fertility or the unborn child.

**Precautionary Statements**

P202: Do not handle until all safety precautions have been read and understood.

P308+P313: If exposed or concerned: Get medical advice/attention.

P501: Dispose of contents/container in accordance with local regulation.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component                        | CAS No.    | Amount |
|----------------------------------|------------|--------|
| Disodium Octaborate Tetrahydrate | 12280-03-4 | >99%   |

The exact formulation is being withheld as a trade secret.

## 4. FIRST AID MEASURES

**Description of necessary first aid measures**

Protection of first-aiders: No special protective clothing is required.

**Inhalation:** If symptoms such as nose or throat irritation are observed, move to fresh air.

**Eye contact:** Use eye wash fountain or fresh water to cleanse eye. If irritation persists for more than 30 minutes, seek medical attention.

**Skin contact:** No treatment necessary.

**Ingestion:** Swallowing small quantities (one teaspoon) will cause no harm to healthy adults. If larger amounts are swallowed, give two glasses of water to drink and seek medical attention.

**Most important symptoms and effects both acute and delayed:**

Symptoms of accidental over-exposure to high doses of inorganic borate salts have been associated with ingestion or absorption through large areas of severely damaged skin. These may include nausea,

vomiting, and diarrhea, with delayed effects of skin redness and peeling (see Section 11).

**Indication of any immediate medical attention and special treatment needed:** Note to physicians: Supportive care only is required for adult ingestion of less than a few grams of the product. For ingestion of larger amounts, maintain fluid and electrolyte balance and maintain adequate kidney function. Gastric lavage is only recommended for heavily exposed, symptomatic patients in whom emesis has not emptied the stomach. Hemodialysis should be reserved for patients with massive acute absorption, especially for patients with compromised renal function. Boron analyses of urine or blood are only useful for verifying exposure and are not useful for evaluating severity of poisoning or as a guide in treatment.

## 5. FIRE FIGHTING MEASURES

**Suitable extinguishing media:** Use extinguishing media that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media:** None

**Special hazards arising from the chemical:** None. The product is not flammable, combustible or explosive.

**Special protective equipment and precautions for fire fighters:** Not applicable. The product is itself a flame retardant.

## 6. ACCIDENTAL RELEASE MEASURES

**Precaution, protective equipment and emergency procedures****For non-emergency personnel:**

Eye goggles and gloves are not required for normal industrial exposures, but eye protection according to ANSI Z.87.1 or other national standard. Respirators should be considered if environment is excessively dusty.

**For emergency responders:**

Eye goggles and gloves are not required for normal industrial exposures, but eye protection according to ANSI Z.87.1 or other national standard. Respirators should be considered if environment is excessively dusty.

**Environmental precautions:** The product is a water-soluble white powder that may cause damage to trees or vegetation by root absorption. Avoid contamination of water bodies during clean up and disposal. Advise local water authority that none of the affected water should be used for irrigation or for the abstraction of potable water until natural dilution returns the boron value to its normal environmental background level or meets local water quality standards.

**Methods and Materials for Containment and Cleaning Up:**

**Appropriate containment:** Avoid spillage into water and cover drains.

**Land spill:** Vacuum, shovel or sweep up and place in containers for disposal in accordance with applicable local regulations.

**Spillage into water:** Where possible, remove any intact containers from the water.

## 7. HANDLING AND STORAGE

**Precautions for Safe Handling:** Good housekeeping procedures should be followed to minimize dust generation and accumulation. Avoid spills. Do not eat, drink or smoke in work areas. Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.


Nonrefillable container. Do not reuse containers. Product residues in empty containers can be hazardous. Follow all SDS precautions when handling empty containers.

**Conditions for Safe Storage, Including Any Incompatibilities:** No special handling precautions are required, but dry, indoor storage is recommended. To maintain package integrity and to minimize caking of the product, bags should be handled on a first-in first-out basis.

**Storage temperature:** Ambient

**Storage pressure:** Atmospheric

**Special sensitivity:** Moisture (Caking)



## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Occupational exposure limit values:** In the absence of a national OEL, Rio Tinto Borax recommends and applies internally an Occupational Exposure Limit (OEL) of 1 mg B/m<sup>3</sup>. To convert product into equivalent boron (B) content, multiply by 0.21.

### Occupational Exposure Limits:

|                            |                      |   |
|----------------------------|----------------------|---|
| OSHA/PEL (total dust)      | 15 mg/m <sup>3</sup> | Particulate Not Otherwise Classified or Nuisance Dust |
| OSHA/PEL (respirable dust) | 5 mg/m <sup>3</sup>  | Particulate Not Otherwise Classified or Nuisance Dust |
| Cal OSHA/PEL               | 5 mg/m <sup>3</sup>  | Particulate Not Otherwise Classified or Nuisance Dust |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** White, crystalline solid    **Odor:** Odorless

**Odor Threshold:** Odorless

**pH @ 20°C:** 8.3 (3.0% solution); 7.6 (10.0% solution)

**Melting point:** 815°C

**Initial boiling point and boiling range:** Not applicable.

## 10. STABILITY AND REACTIVITY

**Reactivity:** None known.

**Chemical stability:** Under normal ambient temperatures (-40°C to +40°C), the product is stable.

**Possibility of hazardous reactions:** Reaction with strong reducing agents such as metal hydrides or alkali metals will generate hydrogen gas which could create an explosive hazard.

**Conditions to avoid:** Avoid contact with strong reducing agents by storing according to good industrial practice.

**Incompatible materials:** Strong reducing agents.

**Hazardous decomposition products:** None.

## 11. TOXICOLOGICAL INFORMATION

**Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):**

### (a) Acute toxicity

Acute Oral Toxicity Study – OECD Guidelines 401

Low acute oral toxicity. LD<sub>50</sub> in male rats is 2,550 mg/kg.

Classification: Acute Toxicity (Oral) Category 5 (Hazard statement: H303: May be harmful if swallowed)

Acute Dermal Toxicity Study – similar to OECD Guideline 402

Low acute dermal toxicity; LD<sub>50</sub> in rabbits is > 2,000 mg/kg.

Acute Inhalation Toxicity Study – OECD Guideline 403

Low acute inhalation toxicity. LC<sub>50</sub> in rats is > 2.0 mg/l (or g/m<sup>3</sup>).

### (b) Skin corrosion / irritation:

No skin irritation in rabbits. Mean Primary Irritation Score: 0.5. Based on the available data for the hydrated forms of sodium tetraborate, the classification criteria are not met.

### (c) Serious eye damage / irritation:

Eye Irritation Study – similar to OECD Guideline 405

Results: Not irritating to eyes. Induced slight iritis, conjunctivae redness and chemosis, reversible after 4-7 days with a return to near normal by 7 days after exposure.

Classification: Based on mean scores of ≤ 1, and the effects were fully reversible within 7 days, the classification criteria are not met.

### (d) Respiratory or skin sensitization:

Buehler Test – OECD Guideline 406

Not a skin sensitizer. No respiratory sensitization studies have been conducted. There are no data to suggest that boric acid or sodium borates are respiratory sensitizers. Based on the available data, the classification criteria are not met.

### (e) Germ cell mutagenicity:

Not mutagenic (based on boric acid). Based on the available data, the classification criteria are not met.

### (f) Carcinogenicity:

Method: OECD 451 equivalent.

No evidence of carcinogenicity (based on boric acid). Based on the available data, the classification criteria are not met.

### (g) Reproductive toxicity:

Method: Three-generation feeding study, similar to OECD 416 Two-Generation Study

NOAEL in rats for effects on fertility in males is 100 mg boric acid/kg bw equivalent to 17.5 mg B/kg bw.

Prenatal Developmental Toxicity Study of Boric Acid - OECD Guideline 414

Routes of Exposure: Oral feeding study

NOAEL in rats for developmental effects on the fetus including fetal weight loss and minor skeletal variations is 55 mg boric acid/kg.

Reproductive Toxicity Category 2 (Hazard statement: H361: Suspected of damaging fertility or the unborn child.)

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity (aquatic and terrestrial, where available):

Note that the data values are expressed as boron equivalents. To convert to this product divide the boron equivalent by 0.21.

### Freshwater—Chronic Studies

| Taxonomic Group            | Number of Taxa Tested | Range of Endpoint Values (geometric NOEC/EC <sub>10</sub> )                           |
|----------------------------|-----------------------|---|
| Algal                      | 4                     | 10 mg B/L ( <i>Chlorella pyrenoidosa</i> ) to 50 mg B/L ( <i>Anacystis nidulans</i> ) |
| Higher plants              | 3                     | 4.0 mg B/L ( <i>Phragmites australis</i> ) to 60 mg B/L ( <i>Lemna minor</i> )        |
| Invertebrate and protozoan | 7                     | 5.7 mg B/L ( <i>Daphnia magna</i> ) to 32 mg B/L ( <i>Chironomus riparius</i> )       |
| Fish                       | 6                     | 2.9 mg B/L ( <i>Micropterus salmoides</i> ) to 17 mg B/L ( <i>Carassius auratus</i> ) |
| Amphibian                  | 2                     | 29 mg B/L ( <i>Rana pipiens</i> ) to 41 mg B/L ( <i>Bufo fowleri</i> )                |

Based on the acute data for freshwater species, this substance is not classified as hazardous to the environment.

### Marine and Estuary—Chronic Studies

| Taxonomic Group | Number of Taxa Tested | Range of Endpoint Values (geometric NOEC/EC <sub>10</sub> )   |
|-----------------|-----------------------|---|
| Algal           | 19                    | 5 mg B/L ( <i>Emiliania huxleyi</i> ) to >100 mg B/L ( <i>Agmenellum quadruplicatum</i> , <i>Anacystis marina</i> , <i>Thalassiosira pseudonana</i> ) |

### Marine and Estuary—Acute Studies

| Taxonomic Group | Number of Taxa Tested | Range of Endpoint Values (geometric EC/LC <sub>50</sub> )                              |
|-----------------|-----------------------|--|
| Invertebrate    | 3                     | 45 mg B/L ( <i>Litopenaeus vannamei</i> ) to 83 mg B/L ( <i>Americamysis bahia</i> )   |
| Fish            | 2                     | 74 mg B/L ( <i>Limanda limanda</i> ) to 600 mg B/L ( <i>Oncorhynchus tshawytscha</i> ) |

No data are available for algal species.

### Sediment

| Taxonomic Group | Number of Taxa Tested | Range of Endpoint Values (geometric EC/LC <sub>50</sub> ) |
|-----------------|-----------------------|---|
| Invertebrate    | 1                     | 82.4 mg B/kg sediment dw ( <i>Chironomus riparius</i> )   |

Results: Although limited, the data suggest that sediment organisms are within range of toxicity of aquatic organisms. In addition, the substance will not partition to the sediment, so a sediment/water partitioning approach is justified

### Sewage Treatment Plants (STP)

| Taxonomic Group  | Number of Taxa Tested | Range of Endpoint Values (geometric NOEC/EC <sub>10</sub> )                              |
|------------------|-----------------------|--|
| Activated sludge | N/A                   | >17.5 mg B/L to 100 mg B/L   |
| Microbes         | 3                     | 10 mg B/L ( <i>Opercularia bimarginata</i> ) to 20 mg B/L ( <i>Paramecium caudatum</i> ) |



### Terrestrial—Chronic Studies

| Taxonomic Group | Number of Taxa Tested | Range of Endpoint Values (geometric NOEC/EC10)   |
|-----------------|-----------------------|--|
| Plant           | 28                    | 7.2 mg B/kg dw ( <i>Zea mays</i> ) to 56 mg B/kg dw ( <i>Allium cepa</i> )   |
| Invertebrates   | 9                     | 15.4 mg B/kg dw ( <i>Folsomia candida</i> ) to 87 mg B/kg dw ( <i>Caenorhabditis elegans</i> )                       |
| Soil micro      | 7                     | 12 mg B/kg dw (nitrogen mineralization and nitrification test) to 420 mg B/kg dw (soil nitrogen transformation test) |

Based on the complete data set, the HC5 value of the species sensitivity distribution is 10.8 mg B/kg dw.

**Phytotoxicity:** Boron is an essential micronutrient for healthy growth of plants. It can be harmful to boron sensitive plants in higher quantities. Care should be taken to minimize the amount of borate product released to the environment.

**Persistence and Degradability:** Biodegradation is not an applicable endpoint since the product is an inorganic substance.

**Bioaccumulative potential:** This product will undergo hydrolysis in water to form undissociated boric acid. Boric acid will not biomagnify through the foodchain.

**Mobility in soil:** The product is soluble in water and is leachable through normal soil. Adsorption to soils or sediments is insignificant.

**Other adverse effects:** None

### 13. DISPOSAL CONSIDERATION

#### Disposal methods:

Product packaging should be recycled where possible. Local authorities should be consulted about any specific local requirements. Such product should, if possible, be used for an appropriate application.

### 14. TRANSPORTATION INFORMATION

Transport Classification for Road (ADR) / Rail (RID); Inland waterways (ADN); Sea (IMDG); Air (ICAO/IATA): Not Regulated

### 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. EPA RCRA:** This product is not listed as a hazardous waste under any sections of the Resource Conservation and Recovery Act (RCRA) or regulations (40 CFR 261 *et seq.*).

**EPA FIFRA:** This product is a pesticide registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals.

Following is the hazard information as required on the pesticide label:

**Superfund:** CERCLA/SARA. This product is not listed under CERCLA (Comprehensive Environmental Response Compensation and Liability Act) or its 1986 amendments, SARA (Superfund Amendments and Reauthorization Act), including substances listed under Section 313 of SARA, Toxic Chemicals, 42 USC 11023, 40 CFR 372.65, Section 302 of SARA, Extremely Hazardous Substances, 42 USC 11002, 40 CFR 355, or the CERCLA Hazardous Substances list, 42 USC 9604, 40 CFR 302.

**Safe Drinking Water Act (SDWA):** This product is not regulated under the SDWA, 42 USC 300g-1, 40 CFR 141 *et seq.* Consult state and local regulations for possible water quality advisories regarding boron compounds.

**Clean Water Act (CWA) (Federal Water Pollution Control Act):** 33 USC 1251 *et seq.*

a) This product is not itself a discharge covered by any water quality criteria of Section 304 of the CWA, 33 USC 1314.

b) It is not on the Section 307 List of Priority Pollutants, 33 USC 1317, 40 CFR 129.

### FIFRA Labeling:

**Nibor-D**  
**EPA Reg. No. 64405-8**  
**Keep Out of Reach of Children**  
**CAUTION**  
**PRECAUTIONARY STATEMENTS**  
**Hazards to Humans & Domestic Animals**

#### CAUTION:

Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**CERCLA:** Report all spills in accordance with local, state, and federal regulations.

**SARA Hazard Category (311/312):** Acute Health, Chronic Health

**SARA 313:** This product contains no chemicals subject to Annual Release Reporting Requirements Under SARA Title III, Section 313 (40 CFR 372).

**EPA TSCA Inventory:** This product is regulated under FIFRA, thus exempt.

**IARC:** The International Agency for Research on Cancer (IARC) (a unit of the World Health Organization) does not list or categorize this product as a carcinogen.

**OSHA carcinogen:** This product is not listed.

**California Proposition 65:** This product is not listed on the Proposition 65 list of carcinogens or reproductive toxicants.

### 16. OTHER INFORMATION

**NFPA Rating:** Health = 0 Flammability = 0 Reactivity = 0

**HMIS Rating:** Health = 1\* Flammability = 0 Reactivity = 0

\*Chronic Effects

**SDS Revision History:** 04/28/15: New SDS

01/12/16: Revised

#### WARRANTY DISCLAIMER

The information, data and recommendations contained herein are believed to be accurate but may not be all inclusive and should only be used as a guide. The information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the product for his particular use and on condition that they assume the risk of the use thereof. With respect to this publication and the product related thereto, unless otherwise expressly provided by Manufacturer in writing, **MANUFACTURER MAKES NO EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.**

#### Remedy/Liability Limits

The exclusive remedy for losses or damages resulting from this publication or the related product (including claims based on contract, negligence, strict liability or other legal theories) shall be limited to, at Manufacturer's sole election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

Manufacturer shall not be liable for losses or damages resulting from use of this publication or handling or use of this product, **IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR LOSSES, INCLUDING WITHOUT LIMIT, HEALTH RELATED DAMAGES OR INJURIES.**

The terms of this **Warranty Disclaimer** and **Remedy/Liability Limits** cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Manufacturer or the seller is authorized to vary or exceed the terms of this **Warranty Disclaimer** or **Limitation of Remedies** in any manner.



100 Nisus Drive • Rockford, TN 37853 USA • (800) 264-0870

Nibor-D and Nisus Corporation are registered trademarks of Nisus Corporation. ©2016 Nisus Corporation • #ND-SDS-011216a

