# Material Safety Data Sheet Talstar® Xtra Granular Insecticide Featuring Verge Granule Technology

MSDS #: 6676-A Revision Date: 2014-06-27 Version 1.03



This MSDS has been prepared to meet U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200 And Canadian Workplace Hazardous Materials Information System (WHMIS) requirements.

## **1. PRODUCT AND COMPANY IDENTIFICATION**

Product name	Talstar® Xtra Granular Insecticide Featuring Verge Granule Technology
Active Ingredient(s)	Bifenthrin, Zeta-cypermethrin
Synonyms	BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate; IUPAC: 2-methylbiphenyl-3-ylmethyl (Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate; FMC 233570; (+/-)-α -cyano(3-phenoxyphenyl)methyl (+/-) cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate; IUPAC: (RS)- α -cyano-3-phenoxybenzyl (1RS)-cis-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate;
Chemical Family	Pyrethroid Pesticide
Recommended use:	Insecticide
Manufacturer FMC Corporation Agricultural Solutions 1735 Market Street Philadelphia, PA 19103 General Information: Phone: (215) 299-6000 E-Mail: msdsinfo@fmc.com	Emergency telephone number Medical Emergencies: 1 800 / 331-3148 (PROSAR - U.S.A. & Canada) 1 651 / 632-6793 (PROSAR - All Other Countries - Collect) For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

## 2. HAZARDS IDENTIFICATION

<b>Appearance</b>	Granules
Physical state	Solid
<u>Odor</u>	Mild detergent odor
Physical or Chemical Hazards	
Flammable properties	Powdered material may form explosive dust-air mixtures.
<u>Potential health effects</u> Principal Routes of Exposure	Eye contact, Skin contact, Inhalation, Ingestion.
Acute effects	
Eyes	Moderately irritating to the eyes.
Skin	May cause sensitization by skin contact. Substance may cause slight skin irritation.

Inhalation Ingestion	May cause irritation of respiratory tract. Harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause central nervous system depression.
Chronic effects	Repeated or prolonged exposure may cause central nervous system effects.
Environmental hazard	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

### Hazardous ingredients

Chemical Name	CAS-No	Weight %
Hexylene Glycol	107-41-5	<5
bentonite	1302-78-9	80-90
crystalline silica, quartz	14808-60-7	5-10
Cypermethrin	52315-07-8	0.14
Petroleum distillates, hydrotreated light	64742-47-8	<0.1
1,1'-Biphenyl, bis(1-methylethyl)-	69009-90-1	1-5
Bifenthrin	82657-04-3	0.21

4. FIRST AID MEASURES		
Eye contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact le if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doc for further treatment advice.	
Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.	
Inhalation	Move person to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.	
Ingestion	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.	
Notes to physician	This product contains a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.	
5. FIRE-FIGHTING MEASURES		
Flammable properties	Powdered material may form explosive dust-air mixtures.	
Suitable extinguishing media	Foam. Carbon dioxide (CO <sub>2</sub> ). Dry chemical. Water spray or fog.	
Hazardous combustion products	None known.	
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate downwind.	

2

1

Stability Special Hazards	0
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	Isolate and post spill area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Environmental precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
Methods for cleaning up	Sweep up and shovel into suitable containers for disposal. Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.
Other	For further clean-up instructions call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
	7. HANDLING AND STORAGE
Handling	Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.
Storage	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure guidelines

Flammability

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Hexylene Glycol 107-41-5	Ceiling: 25 ppm		Ceiling: 25 ppm Ceiling: 125 mg/m <sup>3</sup>	Mexico: Ceiling 25 ppm Mexico: Ceiling 125 mg/m <sup>3</sup>
bentonite 1302-78-9	TWA: 1 mg/m <sup>3</sup>			
crystalline silica, quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup>		IDLH: 50 mg/m <sup>3</sup> TWA: 0.05 mg/m <sup>3</sup>	Mexico: TWA 0.1 mg/m <sup>3</sup>
Chemical Name	British Columbia	Quebec	Ontario TWAEV	Alberta
Hexylene Glycol 107-41-5	Ceiling: 25 ppm	Ceiling: 25 ppm Ceiling: 121 mg/m <sup>3</sup>	CEV: 25 ppm	Ceiling: 25 ppm Ceiling: 121 mg/m <sup>3</sup>
bentonite 1302-78-9	TWA: 1.0 mg/m <sup>3</sup>		TWA: 1 mg/m <sup>3</sup>	
crystalline silica, quartz 14808-60-7	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.10 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 200 mg/m <sup>3</sup> Skin			

#### **Occupational exposure controls**

**Engineering measures** 

Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

### Personal Protective Equipment

**General Information** 

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

<b>Respiratory protection</b>	For dust, splash, mist or spray exposures wear a filtering mask.
Eye/face protection	For dust, splash, mist or spray exposure, wear chemical protective goggles.
Skin and body protection	Wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and headgear.
Hand protection	Protective gloves
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Appearance	Granules
Color	gray
Physical state	Solid
Odor	Mild detergent odor
pH	6.5 - 7.0
Boiling Point/Range	Not applicable
Flash Point	Not applicable
Flammable properties	Powdered material may form explosive dust-air mixtures.
Water solubility	Dispersible in water

Decomposition Temperature No information available

## **10. STABILITY AND REACTIVITY**

Stability	Stable under recommended storage conditions.
Conditions to avoid	Heat, flames and sparks
Hazardous decomposition products	Carbon oxides. Hydrogen chloride. Hydrogen fluoride.
Hazardous polymerization	Hazardous polymerization does not occur.

# **11. TOXICOLOGICAL INFORMATION**

### Acute effects

<u>neute enects</u>	
Eye contact Skin contact	Moderately irritating to the eyes May cause slight irritation
LD50 Dermal LD50 Oral LC50 Inhalation	> 5000 mg/kg (rabbit) 550 mg/kg (Rat) > 2.11 mg/L (Rat)
Sensitization	This product produces skin sensitization (allergic reaction) in laboratory animals, and may produce similar effects in humans.
Chronic effects	
Chronic Toxicity	Repeated or prolonged exposure may cause central nervous system effects.
Carcinogenicity	Bifenthrin: Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH). Did not show carcinogenic effects in animal experiments. Cypermethrin caused an increase in benign lung tumors in mice, but not in rats.

Mutagenicity	Bifenthrin, Zeta-cypermethrin: Not genotoxic in animal studies.
Reproductive Toxicity	Zeta-cypermethrin: No toxicity to reproduction in animal studies.
Neurological Effects	Tremors were associated with chronic exposure of laboratory animals to bifenthrin, which may disappear with continued exposure. Zeta-cypermethrin did not cause neurotoxicity in animal experiments.
Developmental Toxicity	Bifenthrin, Zeta-cypermethrin: Not teratogenic in animal studies.
Target Organ Effects	Bifenthrin: A slight increase in male mouse urinary bladder tumors at the highest dose was probably not of toxicological concern.

<u>Chronic Toxicity - Other Ingredient(s)</u> Repeated overexposure to crystalline silica for extended periods has caused acute silicosis.

Chemical Name	ACGIH	IARC	NTP	OSHA	NIOSH - Target Organs
Hexylene Glycol					eyes,CNS,respiratory system,skin
crystalline silica, quartz	A2	Group 1	Known	Х	eyes,respiratory system

# **12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** 

No information available.

Cypermethrin (52315-07-8)				
Active Ingredient(s)	Duration	Species	Value	Units
Cypermethrin	48 h EC50	Crustacea	0.3	μg/L
	96 h LC50	Fish	2.8	μg/L
	72 h EC50	Algae	> 0.1	mg/L
	21 d NOEC	Crustacea	0.04	μg/L
	21 d NOEC	Fish	0.03	μg/L
	96 h NOEC	Algae	1.3	mg/L

Bifenthrin (82657-04-3)				
Active Ingredient(s)	Duration	Species	Value	Units
Bifenthrin	96 h LC50	Fish	0.1	μg/L
	72 h EC50	Algae	0.822	mg/L
	48 h EC50	Crustacea	0.11	μg/L
	21 d NOEC	Fish	0.012	μg/L
	21 d NOEC	Crustacea	0.0013	μg/L

### **Environmental Fate**

Chemical Name	log Pow
Hexylene Glycol	<0.14

# **13. DISPOSAL CONSIDERATIONS**

Waste disposal methods

Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.

Contaminated packaging	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions. Do not reuse or refill this container.		
14. TRANSPORT INFORMATION			
DOT	Not regulated for transportation if shipped in Non Bulk packaging. The classification below pertains to the shipment in Bulk packaging.		
UN/ID No Hazard Class Packing group Marine pollutant	UN3077 9 III Zeta-cypermethrin		
Description	UN3077 Environmentally hazardous substances, solid, n.o.s.(Zeta-cypermethrin), 9 PG III		
TDG UN/ID No Hazard Class Packing group Marine pollutant Description	The "Marine Pollutant" marking is only applicable when shipped by vessel or air, and is not applicable when shipped only by road or rail in Canada. UN3077 9 III Bifenthrin, Zeta-cypermethrin. UN3077, Environmentally hazardous substance, solid, n.o.s. (Bifenthrin, Zeta-cypermethrin), 9, PG III		
<u>ICAO/IATA</u> UN/ID No Hazard Class Packing group Marine pollutant Description Limited quantity	UN3077 9 III Bifenthrin, Zeta-cypermethrin UN3077, Environmentally hazardous substance, solid, n.o.s. (Bifenthrin, Zeta-cypermethrin), 9, PG III 30 kg G		
IMDG/IMO UN/ID No Hazard Class Packing group EmS No. Marine pollutant Description	UN3077 9 III F-A, S-F Bifenthrin, Zeta-cypermethrin UN3077, Environmentally hazardous substance, solid, n.o.s. (Bifenthrin, Zeta-cypermethrin), 9, PG III		

## **15. REGULATORY INFORMATION**

### U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values
			%
Bifenthrin	82657-04-3	0.21	1.0
SARA 311/312 Hazard Categories Acute Health Hazard	Yes		
Chronic Health Hazard	Yes		
Fire Hazard	No		
Sudden Release of Pressure Hazard	No		
Reactive Hazard	No		

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

#### TSCA (United States)

Component	U.S TSCA (Toxic Substances Control Act) - Section 8(d) - 716.120(a) - Health and Safety Reporting - List of Substances	
1,1'-Biphenyl, bis(1-methylethyl)- 69009-90-1 ( 1-5 )	06/28/1984	

### **International Regulations**

 
 Mexico - Grade
 Moderate risk, Grade 2

 Chemical Name
 Carcinogen Status
 Mexico

 Hexylene Glycol
 Mexico: Ceiling 25 ppm Mexico: Ceiling 125 mg/m<sup>3</sup>

 crystalline silica, quartz
 Mexico: TWA 0.1 mg/m<sup>3</sup>

### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class



D2A - Very toxic materials D2B - Toxic materials

### **16. OTHER INFORMATION**

Revision Date: Reason for revision: 2014-06-27 Initial Release.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

#### **Prepared By:**

FMC Logo - Trademark of FMC Corporation

© 2014 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**