

# Pyrethrin Fogger™

One Unit Treats up to 5,000 Cubic Feet

**KILLS EXPOSED STAGES OF: Cockroaches, Fleas, Ticks, Houseflies, Mosquitoes, Small Flying Moths, Wasps, Crickets and Silverfish**

**FOR USE IN: Food and Non-Food Areas of Homes, Food Processing Plants, Restaurants, Industrial Buildings, Schools, Warehouses, Offices, Theaters, Garages, Hotels, Motels, Hospitals and Kennels**

EPA Reg No. 279-3394

EPA Est. No. 9444-LA-1

**ACTIVE INGREDIENTS:**

Pyrethrins .....	0.50%
*Piperonyl Butoxide, technical .....	1.00%
**N-Octyl Bicycloheptene Dicarboximide .....	1.00%
<b>OTHER INGREDIENTS .....</b>	<b>97.50%</b>
	100.00

\*Equivalent to 0.80% of (butylcarbityl) (6-propylpiperonyl) ether and 0.20% related compounds.

\*\*MGK 264, Insecticide Synergist

**CONTAINS NO CFC's OR OTHER OZONE DEPLETING SUBSTANCES. FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS**

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See Back Panel for Additional Precautionary Statements.



FMC Corporation  
Agricultural Products Group  
1735 Market Street  
Philadelphia, PA 19103

**Net Weight: 5 oz/142 g**

09-18-12

## PRECAUTIONARY STATEMENTS

### Hazards to Humans & Domestic Animals

#### CAUTION

Harmful if swallowed, inhaled or absorbed through the skin or eyes. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after use. Remove contaminated clothing and wash before reuse. Remove pets, birds and cover fish aquariums before spraying.

#### FIRST AID

**If Swallowed:** Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

**If In Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

**HOT LINE NUMBER** - Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call (800) 331-3148. For product information call (800) 321-1362, Monday-Friday, 8:00 am to 5:00 pm EST.

### PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of a shock hazard. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label carefully.

**Highly Flammable Ingredient  
Ingrediente Altamente Inflamable**

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**Shake Well Before Use.** Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. DO NOT use more than one fogger per room. DO NOT use in small enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e. refrigerators, thermostats, etc.).** Call your gas utility or management company if you need assistance with your pilot lights. Use one 9 oz. unit for each 9,000 cubic feet or one 5 oz. unit for 5,000 cubic feet of unobstructed space. Do not remain in the area during treatment, and ventilate thoroughly before reentry.

**TO OPERATE VALVE:** To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for one-half hour. Repeat spraying in two weeks or when necessary.

**To Kill Ticks and Fleas:** Destroy pet's old bedding and replace. Use this product as above. Pets should be treated with a registered tick and flea control product prior to reentry. Repeat as necessary to bring infestation under control.

Do not apply while food processing is underway. Cover or remove all

food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse prior to use. In hospitals, remove patients prior to treatment. Ventilate area for two hours prior to returning patients.

**STORAGE & DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**Storage:** Do not store near heat or open flame. Store in cool dry area away from children.

**Disposal:** Do not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

